

REPUBLIC OF THE PHILIPPINES Department Of Health



National Center for Mental Health

August 02, 2024

NOTICE OF AWARD

OMNIBUS BIO-MEDICAL SYSTEMS, INC.

4th Floor Wilson Corporate Center 225 Wilson St., Greenhills, San Juan Tel No: 8727-1058; 8722-4607 Email: sales@omnibus.ph

Dear Sir/Madam,

Please be advised that as a result of **Public Bidding** conducted by National Center for Mental Health for the **Supply, Delivery, Installation, Testing and Commissioning of Various Brand-New Equipment for Clinical Laboratory Section CY 2024** and is hereby **awarded** to your company the following:

NO	ITEM	ITEM DESCRIPTION	QTY	UOM	UNIT PRICE	TOTAL PRICE
	CODE					
1	CL- 01- 2024	Supply, Delivery, Installation, Testing Commissioning of a Brand-New Ultra Low Freezer, -80 C	1	UNIT	Php 1,197,000.00	Php 1,197,000.00
		Brand / Model / Country of Origin: PHCBI (formerly Panasonic) MDF – DU502VXC				
		SPECIFICATIONS: 1. Capacity: 528 L or 18.6 cubic feet. 2. Temperature range: -40°C to -86°C. 3. Temperature Chart Recorder or its equivalent. 4. Alarm system: High/Low temperature, sensor alarm. 5. Door: 1-door, self-closing, safety lock, with door handle. 6. At least 3 shelves. 7. Type: Upright. 8. Heavy Duty compressor, HFC refrigerant/ CFC Free. 9. Caster wheels with lock. 10. With LED or LCD Display. 11. Must come with an AVR at least 5000VA. 12. The unit will be operated at 220 volts, 60hz.				
		STANDARD REQUIREMENTS: 1. Current and valid certificate of authorized or exclusive distributorship; 2. Notarized current and valid certificate of Manufacturer's compliance with ISO 13485 and/or from distributor; 3. Notarized certification from the manufacturer stating that the equipment is brand new, unused and not a discontinued model or was listed in the market recall; 4. Notarized certification guaranteeing the availability on the supply of spare parts ten				

"There is no Health without Mental Health"





T		(10) years from the end of production. A	ľ.			
		certification must be issued by the				
		manufacturer for the bidder;				
	5.	Notarized certification that the bidder must				
l		be in the local market for a minimum of ten				
	_	(10) years;				
	6.	Notarized certification that the system or				
1	_	machine is not a retrofit solution;				
1	7.	Notarized manufacturer's approved US FDA				
1		Permanent Notification (PMN) or CE mark				
1	0	approval certificate;				
1	8.	The winning bidder must provide current				
1		and valid calibration certificate for each				
	0	equipment during delivery;				
	9.	Notarized certification that the supplier has				
		the capability or authority for corrective and				
		preventive maintenance of the unit. The certificate must be issued by the				
1		certificate must be issued by the manufacturer to the bidder;				
1	10	Notarized certification from the				
1	10.	manufacturer authenticated by the Philippine	i.			
1		Consulate from the country of origin of the				
l		unit that the warranty should not be affected				
		with a change of distributor;				
	11.	Notarized warranty Certification:				
		Certification that the bidder / supplier shall				
		provide a three (3) year warranty for parts				
		and services that includes corrective				
		maintenance, preventive maintenance,				
		and/or calibration. The warranty shall				
		commence upon the acceptance of the end-	1			
		user;				
	12.	Notarized certification that the bidder shall				
		provide preventive maintenance and/or				
		calibration schedule within warranty period;				
	13.	Notarized certification that the supplier /				
		bidder shall provide applications training for				
		the user and maintenance personnel of the				
	1.4	hospital;				
ŀ	14.	Notarized certification to provide manuals:				
		Two (2) sets of service manual in English				
		Language and Two (2) sets of user manual in English Language upon delivery of the				
		equipment;				
	15	Notarized certification that the brand has				
	15.	been in the local market for at least five (5)				
		years with at least five (5) current				
		installations;				
	16.	Notarized certification that the supplier will				
ì		be responsible for the notification,				
		transportation to the site, delivery,				
		installation and testing on the site (hospital /				
		health facility) expenses for such will be on				
		the account of the supplier;				
	17.	Certification that the supplier / bidder shall				
		provide free installation of the equipment;				
		With 24/7 Technical Support.				
	19.	Delivery period – 60 calendar days.				
-	,		1	UNIT	DI 647 000 00	Dl., 645 000 00
		ly, Delivery, Installation, Testing and	1	LIVIO	Php 547,000.00	Php 547,000.00
		missioning of a Brand-New Blood Bank				
1	VEILI	gerator 120 blood bag capacity				

2

Brand / Model / Country of Origin: MBR-305GR-PK / Japan, PHCbi **SPECIFICATIONS:** 1. Alarm and Safety Function. -Audible and flashing LED visual alarms. - Door alarm and key lock are standard feature. - Built in temperature recorder. 2. Stable temperature control. 3. Effective Capacity: at least 302 liter (10.7 cu ft) which equivalent to 120 bags or higher. 4. Exterior and interior Cabinet: Galvanized steel with baked-on finish or similar technology. 5. Outer Door: Insulated Steel frame with double layer glass windows. 6. Drawers: at least 5 stainless steels roll out drawers. 7. Caster wheels with lock. 8. Compressor: 150W hermetically sealed. 9. Refrigerant: HFC. 10. Temperature: 4C (+/- 1.5C). 11. Air Circulation: Forced circulation. 12. Temperature control: Microprocessor control. 13. Temperature alarm: High (6C), low (2C) Audible and visual alarm. 14. Power Failure Alarm: Audible and visual 15. Lighting: 12-15W fluorescent lamp/LED. 16. The unit will be operated at 220-240 volts. 17. Must come with an AVR: 2000KVA. STANDARD REQUIREMENTS: 1. Current and valid certificate of authorized or exclusive distributorship; Notarized current and valid certificate of Manufacturer's compliance with ISO 13485 and/or from distributor; Notarized certification from manufacturer stating that the equipment is brand new, unused and not a discontinued model or was listed in the market recall; Notarized certification guaranteeing the availability on the supply of spare parts ten (10) years from the end of production. A certification must be issued by the manufacturer for the bidder; Notarized certification that the bidder must be in the local market for a minimum of ten (10) years; Notarized certification that the system or machine is not a retrofit solution; Notarized manufacturer's approved US FDA Permanent Notification (PMN) or CE mark approval certificate; The winning bidder must provide current and valid calibration certificate for each equipment during delivery; Notarized certification that the supplier has

from

the

the capability or authority for corrective and preventive maintenance of the unit. The certificate must be issued by the

certification

manufacturer authenticated by the Philippine Consulate from the country of

manufacturer to the bidder;

10. Notarized

	aniain of the container of				
	origin of the unit that the warranty should not be affected with a change of distributor; 11. Notarized warranty Certification: Certification that the bidder / supplier shall provide a three (3) year warranty for parts and services that includes corrective maintenance, preventive maintenance, and/or calibration. The warranty shall commence upon the acceptance of the enduser; 12. Notarized certification that the bidder shall provide preventive maintenance and/or calibration schedule within warranty period; 13. Notarized certification that the supplier / bidder shall provide applications training for the user and maintenance personnel of the hospital; 14. Notarized certification to provide manuals: Two (2) sets of service manual in English Language and Two (2) sets of user manual in English Language upon delivery of the equipment; 15. Notarized certification that the brand has been in the local market for at least five (5) years with at least five (5) current installations; 16. Notarized certification that the supplier will be responsible for the notification, transportation to the site, delivery, installation and testing on the site (hospital / health facility) expenses for such will be on the account of the supplier; 17. Certification that the supplier / bidder shall				
	provide free installation of the equipment; 18. With 24/7 Technical Support. 19. Delivery period – 60 calendar days.				
3	Supply, Delivery, Installation, Testing and Commissioning of a Brand-New Plasma Thawer Model / Country of Origin: Plasmatherm /	1	UNIT	Php 740,000.00	Php 740,000.00
	SPECIFICATIONS: 1. Thaws FFP bags and warms blood, erythrocyte concentrates (EC), cryopreserved preparation, cryopreserved stem cells (HPC) and infusion solutions 2. Thaws at least 4 bags at a time 3. Heating element not in direct contact to bags 4. Leak detection sensors- no risk of contamination or infection 5. User programmable modes 6. Large display LCD display. 7. With cushions conforms to bags 8. Adjustable temperature range from 37C to 45C 9. Visual and acoustic signal after heating duration is complete or in case of error 10. Power supply: 220-240V; 60Hz				
	STANDARD REQUIREMENTS: 1. Current and valid certificate of authorized or exclusive distributorship;				

Notarized current and valid certificate of Manufacturer's compliance with ISO 13485 and/or from distributor; Notarized certification from manufacturer stating that the equipment is brand new, unused and not a discontinued model or was listed in the market recall; Notarized certification guaranteeing the availability on the supply of spare parts ten (10) years from the end of production. A certification must be issued by the manufacturer for the bidder: Notarized certification that the bidder must be in the local market for a minimum of ten (10) years; Notarized certification that the system or machine is not a retrofit solution; Notarized manufacturer's approved US FDA Permanent Notification (PMN) or CE mark approval certificate; The winning bidder must provide current and valid calibration certificate for each equipment during delivery; Notarized certification that the supplier has the capability or authority for corrective and preventive maintenance of the unit. The certificate must be issued by manufacturer to the bidder; 10. Notarized the certification from manufacturer authenticated by the Philippine Consulate from the country of origin of the unit that the warranty should not be affected with a change of distributor; 11. Notarized Certification: warranty Certification that the bidder / supplier shall provide a three (3) year warranty for parts and services that includes corrective maintenance, preventive maintenance, and/or calibration. The warranty shall commence upon the acceptance of the end-12. Notarized certification that the bidder shall provide preventive maintenance and/or calibration schedule within warranty period; Notarized certification that the supplier / bidder shall provide applications training for the user and maintenance personnel of the hospital; 14. Notarized certification to provide manuals: Two (2) sets of service manual in English Language and Two (2) sets of user manual in English Language upon delivery of the equipment: 15. Notarized certification that the brand has been in the local market for at least five (5) years with at least five (5) current installations: 16. Notarized certification that the supplier will be responsible for the notification, transportation to the site, delivery,

installation and testing on the site (hospital / health facility) expenses for such will be on

17. Certification that the supplier / bidder shall provide free installation of the equipment;

the account of the supplier;

With 24/7 Technical Support.

19. Delivery period – 60 calendar days.				
Supply, Delivery, Installation, Testing and Commissioning of a Brand-New Platelet Agitator with incubator	1	UNIT	Php 997,000.00	Php 997,000.00
Model / Country of Origin: Thrombocyte Shaker 60 with Climax 100 / Germany, LMB				
SPECIFICATIONS:				
Refrigeration & precision pulse heating for achieving 22°C (± 1°C)				
2. Forced air circulation for temperature uniformity				
. LCD display of temperature, real date, real ime, temperature histogram etc.				
. Auto stop / start feature pauses agitation when				
ncubator door is opened Intuitive thermostat to prevent temperature luctuations in additional to microprocessor				
ontroller . Swivel lockable castors with floor standing				
acks or fixed rubberized levelling feet. 7. Triple pane tempered glass door agitator				
. Built in stopper prevents accidental drawing ut				
. Each drawer can be operated independently rom other drawers				
Motor cooling done by fan (cooler) Capacity: 60 bags				
2. Power supply: 220V				
Back up battery in case of power failure Monitor and printer for weekly printout				
TANDARD REQUIREMENTS:				
 Current and valid certificate of authorized or exclusive distributorship; 				
2. Notarized current and valid certificate of Manufacturer's compliance with ISO 13485				
and/or from distributor; 3. Notarized certification from the				
manufacturer stating that the equipment is brand new, unused and not a discontinued				
model or was listed in the market recall;				
4. Notarized certification guaranteeing the availability on the supply of spare parts ten				
(10) years from the end of production. A certification must be issued by the				
manufacturer for the bidder; Notarized certification that the bidder must				
be in the local market for a minimum of ten (10) years;				
6. Notarized certification that the system or				
machine is not a retrofit solution; Notarized manufacturer's approved US FDA				
Permanent Notification (PMN) or CE mark approval certificate;				
3. The winning bidder must provide current and valid calibration certificate for each				
equipment during delivery; Notarized certification that the supplier has				
the capability or authority for corrective and preventive maintenance of the unit. The				
certificate must be issued by the manufacturer to the bidder;				

4

10.	Notarized certification from the				
	manufacturer authenticated by the Philippine				
	Consulate from the country of origin of the				
	unit that the warranty should not be affected				
1	with a change of distributor;				
11.	Notarized warranty Certification:				
1	Certification that the bidder / supplier shall				
1	provide a three (3) year warranty for parts				
1	and services that includes corrective				
	maintenance, preventive maintenance,				
1	and/or calibration. The warranty shall				
1	commence upon the acceptance of the end-				
12	user; Notarized certification that the bidder shall				
12.	provide preventive maintenance and/or				
	calibration schedule within warranty period;				
13	Notarized certification that the supplier /				
13.	bidder shall provide applications training for				
1	the user and maintenance personnel of the				
1	hospital;				
14.	Notarized certification to provide manuals:				
1	Two (2) sets of service manual in English				
	Language and Two (2) sets of user manual in				
	English Language upon delivery of the				
	equipment;				
15.	Notarized certification that the brand has				
	been in the local market for at least five (5)				
	years with at least five (5) current				
	installations;				
16.	Notarized certification that the supplier will				
	be responsible for the notification,				
1	transportation to the site, delivery,				
1	installation and testing on the site (hospital /				
	health facility) expenses for such will be on				
1.7	the account of the supplier; Certification that the supplier / bidder shall				
1 /.	provide free installation of the equipment;				
18	With 24/7 Technical Support.				
	Delivery period – 60 calendar days.				
	oly, Delivery, Installation, Testing and	I	UNIT	Php 270,000.00	Php 270,000.00
	missioning of a Brand-New Blood Bag				
Mixe					
	LICE A COLL Bernell NOVOLE				
	el / Country of Origin: Bagmatic NOVO LS				
/ Ge	many, LMB				
	CIFICATIONS:				
	near and 3d mixing with central support				
	eighing range: 0-990ml.				
	larm type: Automatic low and high flow				
	n, adjustable.				
	djustable maximum donation time: Up to 20				
minu					
	otocols: Up to 20 different working programs.				
	uilt-in memory: More than 1000 collection edure data				
1 4	itomatic clamping module				
	NDARD REQUIREMENTS:				
	Current and valid certificate of authorized or				
	exclusive distributorship;				
2.	Notarized current and valid certificate of				
	Manufacturer's compliance with ISO 13485				
1 2	and/or from distributor; Notarized certification from the				
3.	Notarized certification from the manufacturer stating that the equipment is				
1	manufacturer starting that the equipment is				

5

		/ 20	
r		brand new, unused and not a discontinued	
۱		model or was listed in the market recall;	
	4.	Notarized certification guaranteeing the	
1	٦.	availability on the supply of spare parts ten	
1		(10) years from the end of production. A	
ı		certification must be issued by the	
ı			
ı	-	manufacturer for the bidder;	
ı	5.	Notarized certification that the bidder must	
ı		be in the local market for a minimum of ten	
ı	_	(10) years;	
1	6.	Notarized certification that the system or	
1		machine is not a retrofit solution;	
ı	7.	Notarized manufacturer's approved US FDA	
ı		Permanent Notification (PMN) or CE mark	
ı		approval certificate;	
ı	8.	The winning bidder must provide current	
١		and valid calibration certificate for each	
		equipment during delivery;	
	9.	Notarized certification that the supplier has	
		the capability or authority for corrective and	
		preventive maintenance of the unit. The	
		certificate must be issued by the	
ı		manufacturer to the bidder;	
1	10.	Notarized certification from the	
1		manufacturer authenticated by the Philippine	
ı		Consulate from the country of origin of the	
1		unit that the warranty should not be affected	
ı		with a change of distributor;	
ı	11.	Notarized warranty Certification:	
ı		Certification that the bidder / supplier shall	
ı		provide a three (3) year warranty for parts	
ı		and services that includes corrective	
ı		maintenance, preventive maintenance,	
1		and/or calibration. The warranty shall	
ł		commence upon the acceptance of the end-	
1		user;	
l	12.	Notarized certification that the bidder shall	
ľ		provide preventive maintenance and/or	
		calibration schedule within warranty period;	
1	13.	Notarized certification that the supplier /	
1		bidder shall provide applications training for	
l		the user and maintenance personnel of the	
l		hospital;	
1	14.	Notarized certification to provide manuals:	
ŀ		Two (2) sets of service manual in English	
l		Language and Two (2) sets of user manual in	
ı		English Language upon delivery of the	
ı		equipment;	
1	15.	Notarized certification that the brand has	
		been in the local market for at least five (5)	
l		years with at least five (5) current	
		installations;	
	16.	Notarized certification that the supplier will	
		be responsible for the notification,	
		transportation to the site, delivery,	
		installation and testing on the site (hospital /	
		health facility) expenses for such will be on	
		the account of the supplier;	
1	17	Certification that the supplier / hidder shall	

ITEMS NO. 1 to 5 UNDER LOT BIDDING. The winning bidder shall provide 2 units of blood extraction chair for general laboratory phlebotomy use and 2 units blood bag tube stripper with the following specifications:

17. Certification that the supplier / bidder shall provide free installation of the equipment;
18. With 24/7 Technical Support.
19. Delivery period – 60 calendar days.

Blood extraction chair:

- 1. Stainless steel tubular frame
- 2. With built in stainless drawer with at least one (1) layer
- 3. Upholstered cushion (Polyurethane material)
- 4. Adjustable armrest (swing-out)

Blood bag tube stripper:

- 1. Spring loaded handle
- 2. Easy grip handle
- 3. Capable of sealing clip and cutting tubes

TOTAL

Php 3,751,000.00

You are hereby required to provide the following within ten (10) calendar days:

 Notarized Contract Agreement Form (legal size) for the Procurement of Supply, Delivery, Installation, Testing and Commissioning of Various Brand-New Equipment for Clinical Laboratory Section CY 2024 for Item No. 1. (Under Lot Items) Ultra Low Freezer, -80 C (Haier brand); Blood Bank Refrigerator 120 blood bag capacity; Plasma Thawer; Platelet Agitator with incubator; and Blood Bag Mixer;

Note: Signatory: NOEL V. REYES, MD, FPPA, MMHoA, Medical Center Chief II; and

Performance Security in any forms and amount stipulated below:

A. Cash / Cashier's Manager's Check Bank	Five Percent (5%) of the Total Contract Price				
Guarantee					
B. Surety Bond callable upon demand	Thirty Percent (30%) of the Total Contract				
issued by a surety or insurance company	Price				
duly certified by the Insurance Commission					
/ GSIS					

Failure to provide any of the above shall constitute sufficient ground for cancellation of the Award and forfeiture of the Bid Security.

Truly yours,

NOEL V. REYES, MD, FPPA, MMHoA

Medical Center Chief II

CONFORMED BY:

DATE AND TIME: