



REPUBLIC OF THE PHILIPPINES
Department of Health
NATIONAL CENTER FOR MENTAL HEALTH
Nueve de Febrero Street, Mandaluyong City, Philippines
BIDS AND AWARDS COMMITTEE



Telephone No. 531-9001 loc. 239

Telefax No. 5318318

E-mail: bacncmh@yahoo.com

Website: www.ncmh.gov.ph

SECTION VII

Technical Specifications

PUBLIC BIDDING FOR THE SUPPLY, DELIVERY, TESTING, AND
COMMISSIONING OF VARIOUS BRAND-NEW TRANSPORTATION VEHICLES CY
2024 (LINE ITEM)
IB No. E-016-2024-PB

INSTRUCTION: Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of ITB Clause 3.1(a) (ii) and/or GCC Clause 2.1(a)(ii).

Item	Specification	Statement of Compliance	Supporting Documents for the Statement of Compliance (if applicable)
TV20 24-01	MPV (Multi-Purpose Vehicle)		
	ENGINE Type: Diesel, 4-cylinder in-line 16 valve, DOHC		
	Displacement: 2,700cc minimum		
	Transmission: 5 - 6 speed Automatic		
	Maximum Output: Manufacturer's standard		
	Maximum Torque: Manufacturer's standard		
	Exhaustion emission standard: EURO 4		
	CHASIS		
	Seating capacity: at least 7 including driver		
	Drive Train: Rear wheel drive		

gab

	Steering type: Power assisted		
	Suspension		
	Front: Double wish bone/Torsion bar w/stabilizer		
	Rear: Rigid axle/leaf spring		
	Brakes		
	Front: Ventilated disc		
	Rear: Drum, Leading and trailing		
	Wheels: 15" - 17" alloy		
	Tires: 205-215 / 55-65		
	Fuel Tank Capacity: at least 55 liters		
	Accessories		
	Air-conditioning system: Dual, Manual		
	Audio system: CD/MP3/TUNER/AUX with 4 speakers		
	Power features: Windows and door locks		
	SRS Airbag for driver, anti-lock braking system, EWD, matting tint (shade to be advised by the end-user), extra seat cover and standard tools		
	Back-up Sensor		
	Manufacturer's Warranty		
	Scope of coverage a. Materials used		
	b. Workmanship		
	c. Roadworthiness		
	Duration: Three (3) years or 100,000kms, whichever comes first		
TV20 24-02	Minibus		
	ENGINE Type: Diesel, 4-cylinder in-line		
	Displacement: 3,900cc minimum		
	Transmission: 5 - 6 speed manual		

	Maximum Output: Manufactures's standard		
	Maximum Torque: Manufacturer's standard		
	Exhaustion emission standard: EURO 4		
	CHASIS		
	Seating capacity: 30 including driver		
	Drive Train: Rear wheel drive		
	Steering type: Power assisted		
	Suspension		
	Front: Double wish bone/Torsion bar w/stabilizer		
	Rear: Rigid axle/leaf spring w/stabilizer		
	Brakes		
	Front: Manufacturer's standard		
	Rear: Manufacturer's standard		
	Wheels: at least 17"		
	Tires: at least 205-215 / 70-75		
	Fuel Tank Capacity: at least 95 liters		
	Accessories		
	Air-conditioning system: Dual, Manual		
	Audio system: CD/MP3/TUNER/AUX with 4 speakers		
	Power features: Windows and door locks SRS Airbag for driver, anti-lock braking system, EWD, matting tint (shade to be advised by the end-user), extra seat cover, and standard tools		
	Back-up Sensor		
	Manufacturer's Warranty		
	Scope of coverage a. Materials used		
	b. Workmanship		
	c. Roadworthiness		

	Duration: Three(3) years or 100,000kms, whichever comes first		
TV20 24-03	Passenger Van		
	ENGINE Type: Diesel, 4-cylinder in-line 16 valve, DOHC		
	Displacement: 2,500cc minimum		
	Transmission: 5 - 6 speed manual		
	Maximum Output: Manufacturer's standard		
	Maximum Torque: Manufacturer's standard		
	Exhaustion emission standard: EURO 4		
	CHASIS		
	Seating capacity: 14 - 16 including driver		
	Drive Train: Rear wheel drive		
	Steering type: Power assisted		
	Suspension		
	Front: Double wish bone/Torsion bar w/stabilizer		
	Rear: Rigid axle/leaf spring		
	Brakes		
	Front: Ventilated disc		
	Rear: Drum, Leading and trailing		
	Wheels: 15" alloy		
	Tires: at least 195R15C		
	Fuel Tank Capacity: at least 60 liters		
	Accessories		
	Air-conditioning system: Dual, Manual		
	Audio system: CD/MP3/TUNER/AUX with 4 speakers		
	Power features: Windows and door locks		

	SRS Airbag for driver, anti-lock braking system, EWD, matting tint (shade to be advised by the end-user), extra seat cover and standard tools		
	Back-up Sensor		
	Manufacturer's Warranty		
	Scope of coverage a. Materials used		
	b. Workmanship		
	c. Roadworthiness		
	Duration: Three(3) years or 100,000kms, whichever comes first		
TV20 24-04	Van		
	ENGINE Type: Diesel, 4-cylinder in-line 16 valve, DOHC		
	Displacement: 2,500cc minimum		
	Transmission: 5 - 6 speed manual		
	Maximum Output: Manufactures's standard		
	Maximum Torque: Manufacturer's standard		
	Exhaustion emission standard: EURO 4		
	CHASIS		
	Seating capacity: 14 - 16 including driver		
	Drive Train: Rear wheel drive		
	Steering type: Power assisted		
	Suspension		
	Front: Double wish bone/Torsion bar w/stabilizer		
	Rear: Rigid axle/leaf spring		
	Brakes		
	Front: Ventilated disc		
	Rear: Drum, Leading and trailing		
	Wheels: 15" alloy		

	Tires: at least 195R15C		
	Fuel Tank Capacity: at least 60 liters		
	Accessories		
	Air-conditioning system: Dual, Manual		
	Audio system: CD/MP3/TUNER/AUX with 4 speakers		
	Power features: Windows and door locks		
	SRS Airbag for driver, anti-lock braking system, EWD, matting tint (shade to be advised by the end-user), extra seat cover and standard tools		
	Back-up Sensor		
	Manufacturer's Warranty		
	Scope of coverage a. Materials used		
	b. Workmanship		
	c. Roadworthiness		
	Duration: Three(3) years or 100,000kms, whichever comes first		
CONFORME:			
<i>(Company Name)</i>			
<i>(Name and Signature of Authorized Representative)</i>			

