



Section VII. Technical Specifications

Instructions: Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder’s statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

Item No.	Particular	Specification	Statement of Compliance	Proof of Compliance
1	AED PADS - CPR-D-padz	<i>CPR Electrodes for Automated External Defibrillators</i>		
	<i>Compatibility</i>	<i>Compatible with AED Plus ZOLL Resuscitation Systems</i>		
	<i>Inclusions</i>	<i>Pre-connected electrode with Real CPR Help feedback and See-Thru CPR. The one-piece design simplifies proper positioning on the chest. One size fits all, with the ability to expand for a larger chest.</i>		
	<i>Application</i>	<i>Public Access – Non-clinical, EMS – Resuscitation.</i>		
	<i>Shelf-life</i>	<i>Five (5) years from manufacturing date.</i>		
	<i>Usage</i>	<i>To be used with Adults or Childrens 8 years and older or 25 kilos and heavier.</i>		
2	AED Trainer Prestan			
	<i>Delivery Period</i>	<i>30 days upon issuance of NTD</i>		
3	Air Purifier with Mosquito Catcher			
	<i>Recommended area - Air Purifying</i>	<i>40sq.m, Emits 7,000 ions/cm3, 5-step</i>		
	<i>Inclusion</i>	<i>Mosquito Catching Mechanism, Glue Sheet</i>		
	<i>Features</i>	<i>UV Light, On/Off Plasmacluster Mode, Built-in Dust & Odor Sensor, Inverter Operation,</i>		



	<i>Types of Filter</i>	<i>3-steps Filtration (New Pre-Filter, Deodorizing Filter, Electrostatic HEPA Filter)</i>		
	<i>Delivery Period</i>	<i>60 days upon issuance of NTD</i>		
4	<i>Adhesive Zinc Oxide Tape</i>			
	<i>Size</i>	<i>1" x 5 yards (2.5cm x 5m) -</i>		
	<i>Type</i>	<i>Medical Viscose tape with a high tensile strength. Strong, long-lasting adhesive with excellent initial grab. Water and dirt repellent for longer wear. The tape is breathable, reducing the risk of skin maceration.</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
5	<i>Adhesive Zinc Oxide Tape</i>			
	<i>Size</i>	<i>2" x 5 yards (5cm x 5m)</i>		
	<i>Type</i>	<i>Medical Viscose tape with a high tensile strength. Strong, long-lasting adhesive with excellent initial grab. Water and dirt repellent for longer wear. The tape is breathable, reducing the risk of skin maceration.</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
6	<i>Adhesive Zinc Oxide Tape</i>			
	<i>Size</i>	<i>3" x 5 yards (7.5cm x 5m)</i>		
	<i>Type</i>	<i>Medical Viscose tape with a high tensile strength. Strong, long-lasting adhesive with excellent initial grab. Water and dirt repellent for longer wear. The tape is breathable, reducing the risk of skin maceration.</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
7	<i>Anti-Bedsore Air Mattress with Electric Pump</i>			
	<i>Inclusions</i>	<i>Mattress, Pump, Manual and Tubing. Provide 1 (ONE) year</i>		



		<i>warranty certificate from the date of delivery, inspection and acceptance.</i>		
	<i>Usage</i>	<i>Provides excellent pressure reduction through continuous movement. Clinically beneficial and suitable for all healthcare environment. Increase blood circulation.</i>		
	<i>Type</i>	<i>Ultra Silent. Lightweight. Compact. Made specially to prevent bedsores with low pressure and large flow feature.</i>		
	<i>Pump -Pressure:</i>	<i>100-120mmhg, Power: 220VAC</i>		
	<i>Latticed Style Mattress</i>	<i>Sizes: 90cm x 200cm, Thickness (Inflated): 6-10cm,</i>		
	<i>Max. Weight Capacity:</i>	<i>220lbs/M2.</i>		
	<i>Max. Pressure Capacity:</i>	<i>120mmhg</i>		
8	<i>Alcohol, Isopropyl 70%</i>			
	<i>Content</i>	<i>Isopropyl 70%, with 3.785L/gallon</i>		
	<i>Free</i>	<i>with free dispenser, 1L/bottle, 500 pieces only</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
9	<i>Aneroid Sphygmomanometer with Stethoscope Manual BP Monitor</i>			
	<i>Gauge</i>	<i>Measures blood pressure with an accuracy of - or - 3mmHg. Luminous gauge. Index and range markings on the dial for clear readings.</i>		
	<i>Cuff</i>	<i>Durable and stain resistant natural cotton fiber cuff (Velcro closure) Latex-free inflation system.</i>		
	<i>Inflation Bulb - Valve</i>	<i>Sphygmomanometer. • Chrome-plated brass screw-type valve delivers precise deflation control rate. The inflation bulb is constructed of crack-resistant non-sticking high-density hypoallergenic latex-free PVC.</i>		
	<i>Stethoscope</i>	<i>Aneroid Stethoscope has double-sided non-chill chest piece.</i>		
	<i>Inclusions</i>	<i>This specification shall be reflected or visible in the product manufacturer's specification details and/or manual. Provide 1 (ONE)</i>		



		<i>year warranty certificate from the date of delivery, inspection and acceptance.</i>		
10	Anti Embolic Stockings Thigh High			
	<i>Size</i>	<i>Large</i>		
	<i>Usage</i>	<i>For prevention of venous disease. Used for treatment after vein operation. Comfortable open-toe stockings.</i>		
11	Anti Embolic Stockings Thigh High			
	<i>Size</i>	<i>Medium</i>		
	<i>Usage</i>	<i>For prevention of venous disease. Used for treatment after vein operation. Comfortable open-toe stockings.</i>		
12	Anti Embolic Stockings Thigh High			
	<i>Size</i>	<i>Small</i>		
	<i>Usage</i>	<i>For prevention of venous disease. Used for treatment after vein operation. Comfortable open-toe stockings.</i>		
13	Arm Sling			
	<i>Usage</i>	<i>Supports left or right arm.</i>		
	<i>Type</i>	<i>Adjustable shoulder strap allows for a custom comfortable fit.</i>		
	<i>Material</i>	<i>70% polyester, Latex free.</i>		
	<i>Size</i>	<i>MEDIUM</i>		
14	Arm Sling			
	<i>Usage</i>	<i>Supports left or right arm.</i>		
	<i>Type</i>	<i>Adjustable shoulder strap allows for a custom comfortable fit.</i>		



	<i>Material</i>	<i>70% polyester, Latex free.</i>		
	<i>Size</i>	<i>LARGE</i>		
15	<i>Blood Pressure Latex Bulb With Air Release Valve Sphygmomanometer. Blood Pressure Monitor Manual Inflation Pump</i>			
	<i>Inflation Bulb - Valve</i>	<i>Chrome-plated brass screw-type valve delivers precise deflation control rate.</i>		
	<i>Inflation bulb - Type</i>	<i>The inflation bulb is constructed of crack-resistant non-sticking high-density hypoallergenic latex-free PVC.</i>		
16	<i>BP Velcro cuff ADULT, latex rubber type of bladder</i>			
	<i>Cuff - Inflation Bag</i>	<i>The Velcro cuff is constructed of high-molecular polymer nylon. Sized to meet standard use. The artery indicator label and index range further ensure proper cuffing for correct arterial compression.</i>		
	<i>Tube</i>	<i>The double tube seamless inflation bag is constructed of crack-resistant non-sticking high-density hypoallergenic latex-free PVC.</i>		
	<i>Bladder</i>	<i>The universal bladder tube enables compatible cuff exchange for other major brands of blood pressure systems.</i>		
	<i>Inclusion</i>	<i>This specification shall be reflected or visible in the product manufacturer's specification details and/or manual.</i>		
17	<i>Blood Glucose Test Strips with Lancet</i>			
	<i>Free</i>	<i>200pcs Glucometer with Strip Ejector, for in vitro diagnostic use, no coding, ,</i>		
	<i>Strip Packaging</i>	<i>individually foil wrapped strips</i>		



	<i>Sample Size</i>	<i>small blood sample required atleast (0.5µl)</i>		
	<i>Testing Time</i>	<i>5 second test time, 5 second blood sample reapplication time, top or end fill with visual confirmation, fill trigger ensures test starts only when sufficient blood sample has been applied.</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration).</i>		
18	<i>Blood Transfusion Set</i>			
	<i>Material</i>	<i>Sharp spike made of soft medical grade PVC as per ISO 1135-4 for easy penetration into the transfusion port. Double chambers to regulate flow (Kink-resistant frost tubings to prevent leakage during transfusion). 170-210 microns filter guarantees removal of cellular debris and clots (Standard blood infusion sets should have an inline filter (pore size 170-210 microns), a drip chamber and a tubing in a variety of configuration). Precision made roller camp for accurate flow control. 1.5",</i>		
	<i>ISO Certificate</i>	<i>Complies with ISO 1135-4 standards</i>		
	<i>Needle Gauge</i>	<i>18G hypodermic needle for smooth and effortless vein puncture.</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
19	<i>Cane Single with Arm Rest</i>			
	<i>Description</i>	<i>Walking Stick Saklay For Adult Adjustable Saklay For Adult Crutches For Adult Cane For Elderly Cane</i>		
	<i>Type</i>	<i>Arm-Type Outdoor Single-Leg Crutches Rehabilitation Crutches</i>		



	<i>Material</i>	<i>Aluminum Alloy Telescopic Convenient Multi-Functional Shock Absorption</i>		
20	<i>Cervical Collar</i>			
	<i>Size</i>	<i>small, 27.9-34.3cm, 17-mm foam</i>		
	<i>Description</i>	<i>with cotton stockinette, contoured, with hook and lock closure system</i>		
21	<i>Cervical Collar</i>			
	<i>Size</i>	<i>medium, 34.3-39.4 cm, 17-mm foam</i>		
	<i>Description</i>	<i>with cotton stockinette, contoured, with hook and lock closure system</i>		
22	<i>Cervical Collar</i>			
	<i>Size</i>	<i>large, 39.4-44.5 cm, 17-mm foam</i>		
	<i>Description</i>	<i>with cotton stockinette, contoured, with hook and lock closure system</i>		
23	<i>Cervical Collar</i>			
	<i>Size</i>	<i>extra large, 44.5-48.3 cm, 17-mm foam</i>		
	<i>Description</i>	<i>with cotton stockinette, contoured, with hook and lock closure system</i>		
24	<i>Colostomy Bag</i>			
	<i>Baseplate Type</i>	<i>Flat</i>		
	<i>Cut Size</i>	<i>50mm:20mm-33mm</i>		
	<i>Wafer Size</i>	<i>50mm</i>		
	<i>Adhesive Type</i>	<i>Double layer adhesive</i>		



	<i>Properties</i>	<i>Click mechanical coupling system, Velcro closing system, With filter system, Opaque, Adhesive wafer type, Soft cover material for the bag.</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
25	Colostomy Bag			
	<i>Baseplate Type</i>	<i>Flat</i>		
	<i>Cut Size</i>	<i>60mm:20mm-43mm</i>		
	<i>Wafer Size</i>	<i>60mm</i>		
	<i>Adhesive Type</i>	<i>Double layer adhesive</i>		
	<i>Properties</i>	<i>Click mechanical coupling system, Velcro closing system, With filter system, Opaque, Adhesive wafer type, Soft cover material for the bag.</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
26	Cotton-Tipped Applicator Sticks			
	<i>Material</i>	<i>Fine natural non-treated with chemicals. 100% pure cotton tip.</i>		
	<i>Size</i>	<i>6" wooden stem and 1/2" in diameter.</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
27	Cotton Absorbent Balls			
	<i>Material</i>	<i>made from 100% pure natural cotton fibers, highly absorbent, super soft texture, clean and safe, economical</i>		
	<i>Content</i>	<i>400 grams, approximately 1,000 pieces per pack</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		



28	COVERALL SUITS			
	<i>Size</i>	<i>XXL (Height 186-194cm, Chest 115-124cm) - XXXL (Height 194-200cm, Chest 124-132cm)</i>		
	<i>Material</i>	<i>Made from non-woven polypropelene Fabric Material, breathable film. 60 GSM</i>		
	<i>Inclusion</i>	<i>with Shoe Cover</i>		
29	Diagnostic Set, OTOSCOPE			
	<i>Dimensions:</i>	<i>162mm x 45mm x 24mm,</i>		
	<i>Weight:</i>	<i>138.5g</i>		
	<i>Diameters of Otoscope Tips</i>	<i>2.4mm, 3mm, 4mm, 5mm.</i>		
	<i>FEATURES of OTOSCOPE</i>	<i>Optic Fiber illumination provides homogenous and reflex free illumination of ear canal and tympanum Large, clear and scratch resistant viewing window provides 3x magnification. High transparent material is used for the viewing window. Ergonomic design for the handle enables good match between hand and handle. Chrome plated handle with refined texture. 4 reusable tips are attached for different ear canal.</i>		
	<i>KEY OPHTHALMOSCOPE</i>	<i>Dimensions: 170mm x 31mm x 25mm. Weight: 121.5g. KEY</i>		
	<i>FEATURES OF OPHTHALMOSCOPE</i>	<i>The orbital support is soft so as to protect the user's glasses and the device. The aperture wheel is convex above the surface of case so as for better operation. Automatically powers off when attached to the pocket. Large sport for</i>		



		<i>normal fundus examinations. Small spot for reduced reflection with small pupils. Fixation star for determination of central or eccentric fixation. Hemispace for reduced reflection with small pupils. Red-free filter for contrast enhancement when assessing fine vascular disorders. Dimension: 19cm x 4cm x 11cm</i>		
30	Diaper			
	<i>Size</i>	<i>Adult, Large</i>		
	<i>Material</i>	<i>Disposable. Super absorbent layer; flexible waist band and has standing leak guard to prevent side leakage. High speed channel to spread the liquid faster. Made of high class non-woven material to avoid seepage and maintain dryness of the skin. Refastening and adjustable frontal tape.</i>		
31	Disposable ECG Electrodes			
	<i>Size</i>	<i>ADULT, at least 36x40mm</i>		
	<i>Material</i>	<i>foam support 1mm thick</i>		
	<i>Shape</i>	<i>Oval</i>		
	<i>Connection</i>	<i>circular snap connection</i>		
	<i>Material</i>	<i>hypoallergenic medical grade adhesive, pre-gelled that is not sticky to skin and with silver chloride stainless steel stud and defibrillation resistant</i>		



	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
32	<i>ECG Electrode Bulb</i>			
	<i>Compatibility</i>	<i>compatible to ECG Machine Mindray Beneheart R3</i>		
	<i>Inclusions</i>	<i>Provide 1 (ONE) year warranty certificate from the date of delivery, inspection and acceptance. The bidder shall conduct product demonstration during the post-qualification process.</i>		
33	<i>ECG Lead</i>			
	<i>Description</i>	<i>with 12-lead wire</i>		
	<i>Compatibility</i>	<i>must be compatible to Mindray Beneheart R3 ECG Machine</i>		
	<i>Inclusions</i>	<i>Provide 1 (ONE) year warranty certificate from the date of delivery, inspection and acceptance. The bidder shall conduct product demonstration during the post-qualification process.</i>		
34	<i>ECG Lead</i>			
	<i>Description</i>	<i>with 12-lead wire</i>		
	<i>Compatibility</i>	<i>Compatible and interoperable to our existing machine (Wilcare ECG Machine)</i>		
	<i>Inclusions</i>	<i>Provide 1 (ONE) year warranty certificate from the date of delivery, inspection and acceptance. The bidder shall conduct product demonstration during the post-qualification process.</i>		



35	ECG Lead			
	<i>Description</i>	<i>with 12-lead wire</i>		
	<i>Compatibility</i>	<i>Compatible and interoperable to our existing machine (Careland ECG Machine).</i>		
	<i>Inclusions</i>	<i>Provide 1 (ONE) year warranty certificate from the date of delivery, inspection and acceptance. The bidder shall conduct product demonstration during the post-qualification process.</i>		
36	ECG Limb Clamp Set			
	<i>Description</i>	<i>Color Coded</i>		
	<i>Compatibility</i>	<i>compatible to ECG Machine Mindray Beneheart</i>		
	<i>Inclusions</i>	<i>Provide 1 (ONE) year warranty certificate from the date of delivery, inspection and acceptance. The bidder shall conduct product demonstration during the post-qualification process.</i>		
37	ECG Trunk Cable			
	<i>Description</i>	<i>with 3-lead wire.</i>		
	<i>Compatibility</i>	<i>must be compatible to GE B125 Cardiac Monitor</i>		
	<i>Inclusions</i>	<i>Provide 1 (ONE) year warranty certificate from the date of delivery, inspection and acceptance. The bidder shall conduct product demonstration during the post-qualification process.</i>		
38	Effervescent Chlorine Tablet. 2.5g			
	<i>Content</i>	<i>2.5g Sodium dichloroisocyanurate</i>		



		<i>(NaDCC), 90.4% Chlorine content @1000ppm/liter, rapidly dissolved / fast acting tablet</i>		
	<i>Uses and Effectiveness</i>	<i>Effective against disease causing Bacteria, Fungi, Spores and Viruses (MRSA, Pseudomonas aeruginosa, Klebsiella spp., Acinetobacter baumannii, M. tuberculosis, Candida auris, etc.). Effective against all water-borne disease causing Bacteria, Fungi, Spores and Viruses (Legionella, E. Coli, Salmonella sp., Cholera, Typhoid fever, Polio, etc.) Virucidal against corona viruses like COVID 19 and SARS CoV2, ASV, Avian Flu, Ebola viruses.</i>		
	<i>Usage</i>	<i>Surface cleaning & disinfection in hospitals. Air fumigation of contaminated rooms. Medical Equipment & Instrument disinfection. Water purification (drinking Water). Water Treatment of STPs.</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
39	Elastic Bandage			
	<i>Type</i>	<i>Velcro Type, permanent, duralastic</i>		
	<i>Usage</i>	<i>for pressurized dressing</i>		
	<i>Size</i>	<i>4" x 5 yards</i>		
40	Elastic Bandage			
	<i>Type</i>	<i>Velcro Type, permanent, duralastic</i>		
	<i>Usage</i>	<i>for pressurized dressing</i>		



	<i>Size</i>	<i>6" x 5 yards</i>		
<i>41</i>	<i>Emergency Medical Trolley / Cart</i>			
	<i>Size</i>	<i>700x490x920mm (L*W*H*), 46kg.</i>		
	<i>Description</i>	<i>With Trolley body, Plastic-steel Columns, IV pole, Dust Basket, Utility Container, File Bag, Defibrillator Shelf, power outlet and hooks, Sliding Side Shelf, Stainless steel Guard Rail, Concave Top Covered Transparent Soft Plastic BAGs, Centralized Lock, Two (2) Small and Three (3) Big Drawer, Inner with partitions can be well organized, Drawers repositioned Easily, Luxurious Noiseless Castersinner with Partitions Can be well Organized, ABS Basket and Drawer Frame can be repositioned easily, Luxurious Whish Caster, two with brakes, CPR board, Oxygen Tank Holder, Needle Disposable Bottle. (for Pavilion 2 ER use)</i>		
	<i>Delivery Period</i>	<i>30 days upon issuance of NTD</i>		
<i>42</i>	<i>Endotracheal tube</i>			
	<i>Size</i>	<i>7.0</i>		
	<i>Description</i>	<i>high volume, low pressure, blue line design, very smooth murphy eye, very smooth edge to avoid trauma, with cuff, size markings of ET Tube in pilot balloon, non pyrogenic, Radio-Opaque</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		



43	Examining Bed			
	Type	Hamilton Type		
	Material	Stainless		
	Description	Examination and treatment table, Hamilton Type, with drawer and compartment door, upholstered three section top, provided with stirrup and sliding foot stool.		
	Size	58 inc. x 20 inc. x 34 inc.		
	Delivery Period	30 days upon issuance of NTD		
44	Foley Catheter			
	Size	2-way, Fr.16,		
	Material	latex pyrogen free, disposable, sterilized by EO gas, needle free.		
	Balloon Capacity	With balloon capable of being inflated to a maximum capacity of 50cc.		
	Shelf-life	with at least 24 months expiration		
45	Gauze, surgical bolt			
	Color	white		
	Size	36 inches x 50 yards 2ply, 28 x 24 mesh,		
	Material	100% woven cotton. Soft and has highly absorbent capability.		
46	Gloves			
	Type and Material	surgical, sterile, latex, powder free		
	Size	6.0		



	<i>Design And Features</i>	<i>Straight Finger Shape >with Internal Coating of Polymer >AQL is 0.65 > Micro Textured Finish On the Palm And Fingers provides secure handling of instruments on dry & damp condition >Tested for Chemotherapy Drugs under ASTM D6978 >Beaded Cuff > protein content : 50 µg/g (micro gram per /gram extract of protein) > Updated Manufacturer Declaration of conformity latest within year 2023 from the supplier and Third party laboratory.</i>		
	<i>Dimension</i>	<i>Thickness of Finger: 0.21 ± 0.02 mm; Palm Thickness: 0.20 ± 0.02 mm. Thickness of Cuff:0.17 ± 0.03 mm.</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
47	Gloves			
	<i>Type and Material</i>	<i>surgical, sterile, latex, powder free</i>		
	<i>Size</i>	<i>6.5</i>		
	<i>Design And Features</i>	<i>Straight Finger Shape >with Internal Coating of Polymer >AQL is 0.65 > Micro Textured Finish On the Palm And Fingers provides secure handling of instruments on dry & damp condition >Tested for Chemotherapy Drugs under ASTM D6978 >Beaded Cuff > protein content : 50 µg/g (micro gram per /gram extract of protein) > Updated Manufacturer Declaration of conformity latest within year 2023 from the supplier and Third party laboratory.</i>		
	<i>Dimension</i>	<i>Thickness of Finger: 0.21 ± 0.02 mm; Palm Thickness:</i>		



		<i>0.20 ± 0.02 mm. Thickness of Cuff:0.17 ± 0.03 mm.</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
48	Gloves			
	<i>Type and Material</i>	<i>surgical, sterile, latex, powder free</i>		
	<i>Size</i>	<i>7.5</i>		
	<i>Design And Features</i>	<i>Straight Finger Shape >with Internal Coating of Polymer >AQL is 0.65 > Micro Textured Finish On the Palm And Fingers provides secure handling of instruments on dry & damp condition >Tested for Chemotherapy Drugs under ASTM D6978 >Beaded Cuff > protein content : 50 µg/g (micro gram per /gram extract of protein) > Updated Manufacturer Declaration of conformity latest within year 2023 from the supplier and Third party laboratory.</i>		
	<i>Dimension</i>	<i>Thickness of Finger: 0.21 ± 0.02 mm; Palm Thickness: 0.20 ± 0.02 mm. Thickness of Cuff:0.17 ± 0.03 mm.</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
49	Gloves			
	<i>Type and Material</i>	<i>surgical, sterile, latex, powder free</i>		
	<i>Size</i>	<i>8.0</i>		
	<i>Design And Features</i>	<i>Straight Finger Shape >with Internal Coating of Polymer >AQL is 0.65 > Micro Textured Finish On the Palm And Fingers provides secure handling of instruments on dry & damp condition</i>		



		<p>>Tested for Chemotherapy Drugs under ASTM D6978</p> <p>>Beaded Cuff > protein content : 50 µg/g (micro gram per /gram extract of protein)</p> <p>> Updated Manufacturer Declaration of conformity latest within year 2023 from the supplier and Third party laboratory.</p>		
	<i>Dimension</i>	<p>Thickness of Finger: 0.21 ± 0.02 mm; Palm Thickness: 0.20 ± 0.02 mm. Thickness of Cuff:0.17 ± 0.03 mm.</p>		
	<i>Shelf-life</i>	<p>with at least 24 months expiration</p>		
50	Gloves			
	<i>Type and Material</i>	<p>Latex Examination, Powder free, Non-Sterile</p>		
	<i>Size</i>	<p>LARGE</p>		
	<i>Design And Features</i>	<p>Medical Grade, Ambidextrous, Textured Finger Tip, with AQL rating of less than or equal to 1.5, size</p>		
	<i>Shelf-life</i>	<p>with at least 24 months expiration</p>		
51	Gloves			
	<i>Type and Material</i>	<p>Latex Examination, Powder free, Non-Sterile</p>		
	<i>Size</i>	<p>MEDIUM</p>		
	<i>Design And Features</i>	<p>Medical Grade, Ambidextrous, Textured Finger Tip, with AQL rating of less than or equal to 1.5, size</p>		
	<i>Shelf-life</i>	<p>with at least 24 months expiration</p>		
52	Gloves			



	<i>Type and Material</i>	<i>Latex Examination, Powder free, Non-Sterile</i>		
	<i>Size</i>	<i>SMALL</i>		
	<i>Design And Features</i>	<i>Medical Grade, Ambidextrous, Textured Finger Tip, with AQL rating of less than or equal to 1.5, size</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
53	Gloves			
	<i>Type and Material</i>	<i>Nitrile Examination, Powder free, Non-Sterile</i>		
	<i>Size</i>	<i>LARGE</i>		
	<i>Design And Features</i>	<i>Medical Grade, Ambidextrous, Textured Finger Tip, with AQL rating of less than or equal to 1.5, size</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
54	Gloves			
	<i>Type and Material</i>	<i>Nitrile Examination, Powder free, Non-Sterile</i>		
	<i>Size</i>	<i>MEDIUM</i>		
	<i>Design And Features</i>	<i>Medical Grade, Ambidextrous, Textured Finger Tip, with AQL rating of less than or equal to 1.5, size</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
55	Gloves			
	<i>Type and Material</i>	<i>Nitrile Examination, Powder free, Non-Sterile</i>		
	<i>Size</i>	<i>SMALL</i>		



	<i>Design And Features</i>	<i>Medical Grade, Ambidextrous, Textured Finger Tip, with AQL rating of less than or equal to 1.5, size</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
56	Glue Sheet			
	<i>Model</i>	<i>(FZ-ST52M A)</i>		
	<i>Compatibility</i>	<i>for existing Air Purifier with Mosquito Catcher (FP-GM50E-B Model).</i>		
	<i>Additional Information</i>	<i>Chemical Free Mosquito Catching Function.</i>		
57	Hand Dynamometer			
58	Heparin Lock Needle-Free			
	<i>Description & Features</i>	<i>Leakage free, tight fitting adapter. Close injection site for durable puncture. Effectively provides vein accessibility that promotes patient comfort and saves time during IV administration. Also available in Needle-free safety type for prevention of needlestick injury.</i>		
	<i>Material</i>	<i>Transparent material allows observation of flow.</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
59	Household Water Purification Tablets			
	<i>Content</i>	<i>67mg tablet</i>		
	<i>Purification</i>	<i>1 tablet purifies 20 liters.</i>		
	<i>Usage</i>	<i>Use of drinking water disinfection.</i>		



	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
60	Hydrogen Peroxide			
	<i>Content</i>	<i>3% Antiseptic Solution, 10 Volumes</i>		
	<i>Size</i>	<i>250mL</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
61	I.V. Solution Administration Set (Micro)			
	<i>Description and Features</i>	<i>with Needleless Injection Site, Air-Vented Spike, 60 drops Drip Chamber with 15 micron Filter, Roller Clamp, Needleless Y-Injection Port, Luer Lock Connector with Cap.</i>		
	<i>Tube Length</i>	<i>180cm</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
62	IV CANNULA			
	<i>Size</i>	<i>G.18, 45mm length</i>		
	<i>Components</i>	<i>with transparent or white plastic safety protection device, injection port and wide wings with ultra lancet point and ultra sharp triple bevel needle, silicon coated, made of polyurethane/FEP radio-opaque strip on catheter with removable micro-porous hydrophobic filter</i>		
	<i>Needle Type</i>	<i>ultra sharp triple bevel needle</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		



63	IV CANNULA			
	<i>Size</i>	<i>G.20, 32mm length</i>		
	<i>Components</i>	<i>with transparent or white plastic safety protection device, injection port and wide wings with ultra lancet point and ultra sharp triple bevel needle, silicon coated, made of polyurethane/FEP radio-opaque strip on catheter with removable micro-porous hydrophobic filter</i>		
	<i>Needle Type</i>	<i>ultra sharp triple bevel needle</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
64	IV CANNULA			
	<i>Size</i>	<i>G.22, 25mm length</i>		
	<i>Components</i>	<i>with transparent or white plastic safety protection device, injection port and wide wings with ultra lancet point and ultra sharp triple bevel needle, silicon coated, made of polyurethane/FEP radio-opaque strip on catheter with removable micro-porous hydrophobic filter</i>		
	<i>Needle Type</i>	<i>ultra sharp triple bevel needle</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
65	IV CANNULA			
	<i>Size</i>	<i>G.24, 19mm length</i>		
	<i>Components</i>	<i>with transparent or white plastic safety protection device, injection port and</i>		



		<i>wide wings with ultra lancet point and ultra sharp triple bevel needle, silicon coated, made of polyurethane/FEP radio-opaque strip on catheter with removable micro-porous hydrophobic filter</i>		
	<i>Needle Type</i>	<i>ultra sharp triple bevel needle</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
66	<i>IV CANNULA</i>			
	<i>Size</i>	<i>G.26, 19mm length</i>		
	<i>Components</i>	<i>with transparent or white plastic safety protection device, injection port and wide wings with ultra lancet point and ultra sharp triple bevel needle, silicon coated, made of polyurethane/FEP radio-opaque strip on catheter with removable micro-porous hydrophobic filter</i>		
	<i>Needle Type</i>	<i>ultra sharp triple bevel needle</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
67	<i>IV Splints Brace With straps</i>			
	<i>Size</i>	<i>CHILD</i>		
	<i>Description</i>	<i>Splint application to avoid unwanted movement of limbs and kinking of intravenous catheters, allowing free flow of intravenous fluids.</i>		
68	<i>IV Splints Brace With straps</i>			
	<i>Size</i>	<i>ADULT</i>		



	<i>Description</i>	<i>Splint application to avoid unwanted movement of limbs and kinking of intravenous catheters, allowing free flow of intravenous fluids.</i>		
69	KN95			
	<i>Description</i>	<i>5 layer Respirator Mask, single,</i>		
	<i>Packaging</i>	<i>Individually pack, sterile</i>		
	<i>Type</i>	<i>earloop type</i>		
	<i>Efficiency</i>	<i>with High Filtration Efficiency of $\geq 95\%$</i>		
70	Lithium Battery			
	<i>Capacity</i>	<i>10.95VDC 2500mAh</i>		
	<i>Comptibility</i>	<i>compatible to ECG Machine Mindray Beneheart R3</i>		
	<i>Inclusions</i>	<i>Provide 1 (ONE) year warranty certificate from the date of delivery, inspection and acceptance. The bidder shall conduct product demonstration during the post-qualification process.</i>		
71	Lithium Battery			
	<i>Capacity</i>	<i>Ultra CR123A 3V</i>		
	<i>Packaging</i>	<i>10 pieces per set</i>		
	<i>Compatibility</i>	<i>compatible to AED Machine Zoll Plus. The bidder shall conduct product demonstration during the post-qualification process.</i>		
72	Lubricating jelly			
	<i>Size</i>	<i>5g/sachet</i>		



	<i>General Description</i>	<i>Sterile, Water Soluble, Thicker in Form non-watery, pH balanced : 5.0- 7.0, consistent and stable in form, non- glutinous, Sterilized through Gamma irradiation (26.1 - 50.6 kGy)</i>		
	<i>Viscosity</i>	<i>13,000 - 18,000 cP</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
73	<i>Lubricating jelly</i>			
	<i>Size</i>	<i>82g/tube</i>		
	<i>General Description</i>	<i>Sterile, Water Soluble, Thicker in Form non-watery, pH balanced : 5.0- 7.0, consistent and stable in form, non- glutinous, Sterilized through Gamma irradiation (26.1 - 50.6 kGy)</i>		
	<i>Viscosity</i>	<i>13,000 - 18,000 cP</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
74	<i>Product Description</i>	<i>Mannequin / Manikin adult XC-401</i>		
75	<i>Manual Resuscitator (Disposable)</i>			
	<i>Size</i>	<i>ADULT</i>		
	<i>Material</i>	<i>made with Polyvinyl Chloride (PVC) material. Complete with Pressure Release Valve to minimize the risk of over inflating the lung.</i>		
	<i>Accessories</i>	<i>1 face masks, 1 Reservoir bag, 1 oxygen tubing, 3 guedel airways size 1 / 3 / 4.</i>		
	<i>Capacity</i>	<i>1,600mL</i>		



76	Mask			
	Type	<i>surgical disposable, 3 PLY, EAR-LOOP</i>		
	Description	<i>Elastic without glass fibres, hypoallergenic, very low resistance to breathing, nose baradaptable, high filtration capacity, perfect fitting.</i>		
77	Mayo Stand with Trays (4 wheels)			
	Measurement	<i>professional-grade Mayo Stand measures 13" x 19" and includes a removable, adjustable-height stainless steel tray. Tray raises up to 52" high and features chrome plated swivel casters for easy maneuverability.</i>		
	Material	<i>The Mayo Tray is constructed of a powder coated aluminum frame with a stainless steel tray.</i>		
78	Medical intubation stylet guide wire			
	Usage and Material	<i>for endotracheal tube, made of malleable aluminium, smooth PVC sleeve, smooth formed tip,</i>		
	Size	<i>size Fr.14</i>		
	Shelf-life	<i>with at least 24 months expiration</i>		
79	Medical intubation stylet guide wire			
	Usage and Material	<i>for endotracheal tube, made of malleable aluminium, smooth PVC sleeve, smooth formed tip,</i>		
	Size	<i>size Fr.12</i>		
	Shelf-life	<i>with at least 24 months expiration</i>		



80	Medical intubation stylet guide wire			
	<i>Usage and Material</i>	<i>for endotracheal tube, made of malleable aluminium, smooth PVC sleeve, smooth formed tip,</i>		
	<i>Size</i>	<i>size Fr.10</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
81	Medicine Distribution Trolley			
	<i>Description</i>	<i>with shelves with 16 drug dispensary bins; with transparent dividers and identification card holder; with lock and key</i>		
	<i>Delivery Period</i>	<i>30 days upon issuance of NTD</i>		
82	Multifix Tape			
	<i>Material</i>	<i>Universal securement device for effective fixation to the skin of range of medical tubing, with atraumatic pure soft silicone -re-adhesive gel strip.</i>		
	<i>Features</i>	<i>Gentle on skin, no skin prep required before application, leaves no sticky residue on skin upon removal, can be easily repositioned without the risk of skin and hair pulling, showerproof, breathable, hypoallergenic.</i>		
	<i>Size</i>	<i>LARGE</i>		
83	N95 mask			
	<i>Material</i>	<i>particulate respirator contains no components made from natural rubber latex.</i>		



		<i>Made from synthetic plastic fibers, usually polypropylene (PP). They also contain rubber and metal for the straps, staples, and nose bar.</i>		
	<i>Design</i>	<i>Collapse resistant cup shape design. Two-strap design with welded dual point attachment, braided headbands, cushioning nose foam, and lightweight construction for comfortable wear, easy breathing/ speaking.</i>		
	<i>Certificate</i>	<i>with NIOSH Certificate</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
84	<i>Nasal Oxygen Cannula</i>			
	<i>Size</i>	<i>ADULT</i>		
	<i>Material</i>	<i>made from nontoxic PVC compound, 1.8 meters of non-kink star lumen PVC tubing, nasal prongs made of soft PVC</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
85	<i>Nasogastric tube (NGT) Duodenal tube</i>			
	<i>Size</i>	<i>Fr. 16</i>		
	<i>Material</i>	<i>100% Silicone</i>		
	<i>Packaging</i>	<i>individually pack, sterilized</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
86	<i>Nebulizing kit</i>			
	<i>Size</i>	<i>with mask and mouthpiece, inhalation adult set</i>		



	<i>Inclusions</i>	<i>includes 1 mask, 1 medication chamber cup, 1 oxygen tube</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
87	<i>Nebulizing kit</i>			
	<i>Size</i>	<i>PEDIA</i>		
	<i>Inclusions</i>	<i>with Mask Includes Neb kit Mask and tubing</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
88	<i>Needles</i>			
	<i>Type</i>	<i>Injection System, Blunt Filter Needle</i>		
	<i>Size</i>	<i>5 micron with blunt fill tip 18G x 1 1/2"</i>		
	<i>Packaging</i>	<i>individually packed</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
89	<i>Needle</i>			
	<i>Description</i>	<i>sterile, fitted with standard luer lock syringe, visible back flow on luer lock</i>		
	<i>Needle Type</i>	<i>ultra sharp honed and beveled hypodermic needle</i>		
	<i>Features</i>	<i>with attached safety shield immediately activated after draw</i>		
	<i>Size</i>	<i>G.21 x 25mm</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
90	<i>NIBP Cuff and hose</i>			
	<i>Size</i>	<i>ADULT</i>		
	<i>Compatibility</i>	<i>must be compatible to GE B125 Cardiac Monitor</i>		
	<i>Inclusions</i>	<i>Provide 1 (ONE) year warranty certificate from the date of delivery, inspection</i>		



		<i>and acceptance. The bidder shall conduct product demonstration during the post-qualification process.</i>		
91	<i>NIBP Cuff and hose</i>			
	<i>Size</i>	<i>PEDIA</i>		
	<i>Compatibility</i>	<i>must be compatible to GE B125 Cardiac Monitor</i>		
	<i>Inclusions</i>	<i>Provide 1 (ONE) year warranty certificate from the date of delivery, inspection and acceptance. The bidder shall conduct product demonstration during the post-qualification process.</i>		
92	<i>Oxygen Mask</i>			
	<i>Description</i>	<i>under the chin style, medium concentration mask</i>		
	<i>Tube Length</i>	<i>with 7ft. (84") tubing for single patient.</i>		
	<i>Size</i>	<i>PEDIATRIC</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
93	<i>Oxygen Regulator with Humidifier</i>			
	<i>Description</i>	<i>compatible with all oxygen tanks, Oxygen flow range 1-10L/Min, pressure reducing range 2.0-3.0kg, relief valve pressure range 3.5kg-0.5kg. Durable, high quality</i>		
	<i>Inclusions</i>	<i>Provide 1 (ONE) year warranty certificate from the date of delivery, inspection and acceptance. And with certificate of calibration.</i>		
94	<i>Pen Needle, Ultra Fine</i>			



	<i>Size</i>	<i>0.23 (32G) x 4mm</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
95	<i>Penlight</i>			
	<i>LED Lamp</i>	<i>with Pupil Gauge, Chrome Plated finish, LED lamp. Chrome Plated Diagnostic Penlight with Pupil Gauge. An innovative extra bright cool light diagnostic penlight with chrome plated brass casing, pocket clip press activator switch, pupil gauge and slide rule.. Comes complete with 2 AAA batteries. Size: 13x2 inches.</i>		
	<i>Cartridge</i>	<i>the cartridge is made of aluminum alloy with anodized treatment, light and brightness. – Pocket clip press activator switch – LED lamp is durable and power saving – 2 “AAA” batteries</i>		
96	<i>Pre-filled syringe</i>			
	<i>Size</i>	<i>11mL</i>		
	<i>Content</i>	<i>containing sterile lubricating jelly, 2% lidocaine and 0.255 chlorhexidine gluconate.</i>		
	<i>Design</i>	<i>Syringe with long nozzle and blunt edge for easy insertion to urethra and to avoid mucosal injury.</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
97	<i>Povidone Iodine, 10%</i>			
	<i>Description</i>	<i>solution antiseptic and disinfectant</i>		
	<i>Content</i>	<i>with 3.785mL/gallon</i>		



	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
98	<i>Pulse Oximeter</i>			
	<i>Description & Features</i>	<i>fingertip, SPO2 and pulse rate (PR) display, PR waveform and bargraph display, built in alarm can be set to high and low, adjustable auto alarm range, simple operation, low power consumption, four directions and eight display modes, color OLED, automatic power off,</i>		
	<i>Inclusions</i>	<i>with USB rechargeable cord, with Certificate of Calibration. Provide 1 (ONE) year warranty certificate from the date of delivery, inspection and acceptance.</i>		
99	<i>Sharp (Biohazard Needle) Disposal Container</i>			
	<i>Capacity</i>	<i>3L</i>		
	<i>Material & Features</i>	<i>puncture-proof hard plastic; with locks for final disposal and safe transport.</i>		
100	<i>Sharp Disposal Container</i>			
	<i>Capacity</i>	<i>5L</i>		
	<i>Material & Features</i>	<i>puncture proof, preferably with sem-wide hole to accommodate easy disposal of fistula needles, with lid / cover, with handle for ease of transport, no other mechanism.</i>		
101	<i>Sharp Disposal Container</i>			



	<i>Capacity</i>	<i>30 Liters</i>		
	<i>Material & Features</i>	<i>double lid, with hermetic lock seal. Easy and handy to assemble through pressure, with built-in handle for transport, autoclavable at 134c for 18 minutes, easy lid-opening, with temporary closure in case of not use, puncture proof resistance.</i>		
<i>102</i>	<i>Silk-like cloth tape</i>			
	<i>Features</i>	<i>Covenient bi-directional tear</i>		
	<i>Color</i>	<i>white color</i>		
	<i>Material</i>	<i>hypoallergenic and latex free</i>		
	<i>Size</i>	<i>1 inch x 10 yards</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
<i>103</i>	<i>Silk-like cloth tape</i>			
	<i>Features</i>	<i>Covenient bi-directional tear</i>		
	<i>Color</i>	<i>white color</i>		
	<i>Material</i>	<i>hypoallergenic and latex free</i>		
	<i>Size</i>	<i>2 inches x 10 yards</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
<i>104</i>	<i>Silk-like cloth tape</i>			
	<i>Features</i>	<i>Covenient bi-directional tear</i>		
	<i>Color</i>	<i>white color</i>		
	<i>Material</i>	<i>hypoallergenic and latex free</i>		
	<i>Size</i>	<i>3 inches x 10 yards</i>		



	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
105	<i>Skin Stapler wire</i>			
	<i>Description</i>	<i>with free 30 pieces skin remover, taller and sharper, pre-cock function, 35 staple count, sterile</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
106	<i>SPO2 Cable Trusignal with SPO2 Sensor</i>			
	<i>Compatibility</i>	<i>must be compatible to GE B125 Cardiac Monitor</i>		
	<i>Inclusions</i>	<i>Provide 1 (ONE) year warranty certificate from the date of delivery, inspection and acceptance. The bidder shall conduct product demonstration during the post-qualification process.</i>		
	<i>Delivery Period</i>	<i>30 days upon issuance of NTD</i>		
107	<i>Stethoscope</i>			
	<i>Description</i>	<i>fitted with a completely new developed aluminium chest-piece – for particular comfort when taking blood pressure measurements. The acoustic performance has been enormously improved in the relevant frequency range. Provides extra-ordinary high standards of quality at an attractive price.</i>		
	<i>Features</i>	<i>• Ergonomic handling thanks to novel design: extra-ordinarily flat aluminium chest-piece without edges, easy to push under the cuff when measuring blood pressure. • Special membrane,</i>		



		<i>Ø 28 mm, with particularly flat and soft non-chill rims for improved adaptation on the skin. • Matt chromium-plated binaural, which can be adjusted by turning. • Soft, replaceable ear-tips with metal screw thread for comfortable and effective sealing of the external auditory canal. • Reinforced Y-tube made of PVC to shield against disturbing stray sounds. • Overall length: 77 cm. • Latex-free. • Supplied in a cardboard display box with a pair of replacement ear tips and a replacement membrane.</i>		
	<i>Delivery Period</i>	<i>30 days upon issuance of NTD</i>		
108	<i>Straight Catheter</i>			
	<i>Size</i>	<i>Fr.16</i>		
	<i>Material</i>	<i>latex or transparent, sterilized by EO gas, non-toxic, non-pyrogenic</i>		
	<i>Packaging</i>	<i>individually pack</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
109	<i>Suction catheter</i>			
	<i>Size</i>	<i>Fr.14</i>		
	<i>Material</i>	<i>with control & cap, transparent, sterilized by EO gas, non-toxic, non-heavy metal, non-pyrogenic</i>		
	<i>Packaging</i>	<i>individually pack</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
110	<i>Suction catheter</i>			



	<i>Size</i>	<i>Fr.16</i>		
	<i>Material</i>	<i>with control & cap, transparent, sterilized by EO gas, non- toxic, non-heavy metal, non-pyrogenic</i>		
	<i>Packaging</i>	<i>individually pack</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
111	<i>Surface Disinfectant, Towelletes / Wipes</i>			
	<i>Description & Features</i>	<i>Cleaner and disinfectant in one. Kill clinically relevant organisms such as bacteria, viruses, fungi and TB in just 3 minutes. Ready-to-use with no dilution or mixing required. Clean, disinfect and decontaminate the hard, non-porous surfaces with speed and confidence. Durable, nonwoven towellettes will not bunch up during use.</i>		
	<i>Content</i>	<i>220 pulls per cannister.</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
112	<i>Surgical tape</i>			
	<i>Size</i>	<i>1 inch</i>		
	<i>Features</i>	<i>reliably secures dressings and devices to skin, hypoallergenic, latex-free. Reliably secures dressings and devices to skin at least 2 hours, to prevent leakage of blood from AV fistula, IV Cannula, catheters, etc.</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		



113	Surgical tape			
	<i>Size</i>	<i>2 inches</i>		
	<i>Features</i>	<i>reliably secures dressings and devices to skin, hypoallergenic, latex-free. Reliably secures dressings and devices to skin at least 2 hours, to prevent leakage of blood from AV fistula, IV Cannula, catheters, etc.</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
114	Surgical tape			
	<i>Size</i>	<i>3 inches</i>		
	<i>Features</i>	<i>reliably secures dressings and devices to skin, hypoallergenic, latex-free. Reliably secures dressings and devices to skin at least 2 hours, to prevent leakage of blood from AV fistula, IV Cannula, catheters, etc.</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
115	Syringe, Asepto			
	<i>Description & Features</i>	<i>Irrigation Bulb 60cc, sterile, catheter tip, with plastic tip protector, allows one hand control, strong uniformly shaped barrel.</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
116	Syringe,			
	<i>Fill Volume</i>	<i>1cc</i>		
	<i>Syringe Tip Type</i>	<i>Slip Tip</i>		



	<i>Syringe Description & Features</i>	<i>Disposable, non-toxic, non-pyrogenic. Clear transparent barrel, smooth plunger action - clear scale markings, accurate and readable calibration in cc or mL, marking cannot be erased by any liquid and with plastic packaging, with plunger retention ring.</i>		
	<i>Needle Gauge</i>	<i>Needle G.25 x 1"</i>		
	<i>Needle Type and Features</i>	<i>With hypoallergenic, ultra sharp, smooth and glides easily Safety cap/lock</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
117	<i>Syringe</i>			
	<i>Fill Volume</i>	<i>3cc</i>		
	<i>Syringe Tip Type</i>	<i>Luer Lock</i>		
	<i>Syringe Description & Features</i>	<i>sterile, siliconized and transparent barrel, firm and definite end stop plunger, clear and visible scale markings, latex and PVC free, with visible back flow on luer lock</i>		
	<i>Needle Gauge</i>	<i>Gauge.21 x 1"</i>		
	<i>Needle Type and Features</i>	<i>attached ultra sharp honed and beveled hypodermic needle, <u>with retractable needle safety feature</u></i>		
	<i>Packaging</i>	<i>100pieces/box</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
118	<i>Syringe</i>			
	<i>Fill Volume</i>	<i>3cc</i>		
	<i>Syringe Tip Type</i>	<i>Luer-Lok, Tip</i>		



	<i>Syringe Description & Features</i>	<i>Disposable, non-toxic, non-pyrogenic. Clear transparent barrel, smooth plunger action - clear scale markings, accurate and readable calibration in cc or mL, marking cannot be erased by any liquid and with plastic packaging, with plunger retention ring.</i>		
	<i>Needle Gauge</i>	<i>Gauge G.23 x 1"</i>		
	<i>Needle Type and Features</i>	<i>With hypoallergenic, ultra sharp, smooth and glides easily Safety cap/lock Needle</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
119	<i>Syringe</i>			
	<i>Fill Volume</i>	<i>3cc</i>		
	<i>Syringe Tip Type</i>	<i>Luer Lock</i>		
	<i>Syringe Description & Features</i>	<i>sterile, siliconized and transparent barrel, firm and definite end stop plunger, clear and visible scale markings, latex and PVC free, with visible back flow on luer lock</i>		
	<i>Needle Gauge</i>	<i>Gauge.23 x 1"</i>		
	<i>Needle Type and Features</i>	<i>attached ultra sharp honed and beveled hypodermic needle, <u>with retractable needle safety feature</u></i>		
	<i>Packaging</i>	<i>100pieces/box</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
120	<i>Syringe</i>			
	<i>Fill Volume</i>	<i>5cc</i>		
	<i>Syringe Tip Type</i>	<i>Luer Lock</i>		



	<i>Syringe Description & Features</i>	<i>sterile, siliconized and transparent barrel, firm and definite end stop plunger, clear and visible scale markings, latex and PVC free, with visible back flow on luer lock</i>		
	<i>Needle Gauge</i>	<i>Gauge.21 x 1"</i>		
	<i>Needle Type and Features</i>	<i>attached ultra sharp honed and beveled hypodermic needle, <u>with retractable needle safety feature</u></i>		
	<i>Packaging</i>	<i>100pieces/box</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
121	<i>Syringe</i>			
	<i>Fill Volume</i>	<i>5cc</i>		
	<i>Syringe Tip Type</i>	<i>Luer-Lok, Tip</i>		
	<i>Syringe Description & Features</i>	<i>Disposable, non-toxic, non-pyrogenic. Clear transparent barrel, smooth plunger action - clear scale markings, accurate and readable calibration in cc or mL, marking cannot be erased by any liquid and with plastic packaging, with plunger retention ring.</i>		
	<i>Needle Gauge</i>	<i>Gauge G.23 x 1"</i>		
	<i>Needle Type and Features</i>	<i>With hypoallergenic, ultra sharp, smooth and glides easily Safety cap/lock Needle</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
122	<i>Syringe</i>			
	<i>Fill Volume</i>	<i>10cc</i>		
	<i>Syringe Tip Type</i>	<i>Luer-Lok, Tip</i>		



	<i>Syringe Description & Features</i>	<i>Disposable, non-toxic, non-pyrogenic. Clear transparent barrel, smooth plunger action - clear scale markings, accurate and readable calibration in cc or mL, marking cannot be erased by any liquid and with plastic packaging, with plunger retention ring.</i>		
	<i>Needle Gauge</i>	<i>Gauge G.21 x 1"</i>		
	<i>Needle Type and Features</i>	<i>With hypoallergenic, ultra sharp, smooth and glides easily Safety cap/lock Needle</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
123	Syringe			
	<i>Fill Volume</i>	<i>10cc</i>		
	<i>Syringe Tip Type</i>	<i>Luer Lock</i>		
	<i>Syringe Description & Features</i>	<i>sterile, siliconized and transparent barrel, firm and definite end stop plunger, clear and visible scale markings, latex and PVC free, with visible back flow on luer lock</i>		
	<i>Needle Gauge</i>	<i>Gauge.21 x 1"</i>		
	<i>Needle Type and Features</i>	<i>attached ultra sharp honed and beveled hypodermic needle, <u>with retractable needle safety feature</u></i>		
	<i>Packaging</i>	<i>100pieces/box</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
124	Syringe 50cc No Needle			
	<i>Syringe Description & Features</i>	<i>Without needles, sealed and sterile. A tube with a nozzle and piston or bulb for sucking in and ejecting liquid in a thin stream, used for cleaning wounds or body cavities, or</i>		



		<i>fitted with a hollow needle for injecting or withdrawing fluids.</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
125	<i>Insulin Syringe</i>			
	<i>Fill Volume</i>	<i>1mL</i>		
	<i>Needle Gauge</i>	<i>G.29x½ needle</i>		
	<i>Needle Description & Features</i>	<i>with superior sharpness and smoothness time after time. With Ultra Sharps needle.</i>		
	<i>Syringe Description & Features</i>	<i>Clear barrels. Bold, precise scale markings. Smooth plunger action. Tamper evident peel packs.</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
126	<i>Syringe, Pre-Filled</i>			
	<i>Fill Volume</i>	<i>3cc</i>		
	<i>Content</i>	<i>0.9% Normal Saline 3cc, pre-filled with 3cc preservative free saline syringe, needlefree, with serrated thumb press and plunger retainer / retention ring</i>		
	<i>Packaging</i>	<i>Sterile, Individually packed, see-through packaging</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
127	<i>Syringe, Pre-Filled</i>			
	<i>Fill Volume</i>	<i>5cc</i>		
	<i>Content</i>	<i>0.9% Normal Saline 5cc - pre-filled with 5cc preservative free saline syringe, needlefree, with serrated thumb press and plunger retainer / retention ring</i>		
	<i>Packaging</i>	<i>Sterile, Individually packed, see-through packaging</i>		



	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
128	<i>Syringe, Pre-Filled</i>			
	<i>Fill Volume</i>	<i>10cc</i>		
	<i>Content</i>	<i>0.9% Normal Saline 10cc - pre-filled with 10cc preservative free saline syringe, needlefree, with serrated thumb press and plunger retainer / retention ring</i>		
	<i>Packaging</i>	<i>Sterile, Individually packed, see-through packaging</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
129	<i>Thermal Paper</i>			
	<i>Description</i>	<i>Electrocardiograph (ECG) Thermal Paper</i>		
	<i>Size</i>	<i>80x20mm – 3.5 inches x 65.6 feet</i>		
130	<i>Thermometer</i>			
	<i>Type</i>	<i>Infrared</i>		
	<i>Description & Features</i>	<i>with memory storage, non-contact, fast measurement, beep alarm, measure range: 32C to 43C, temperature unit: celsius, display screen: backlight display, measure position: forehead, measure distance: 3-7cm</i>		
	<i>Inclusion</i>	<i>with AAA batteries</i>		
131	<i>Thermometer</i>			
	<i>Type</i>	<i>Digital</i>		



	<i>Features</i>	<i>High accuracy, fast response, auto shut-off, alarm signal, break resistance.</i>		
132	<i>Tongue depressor</i>			
	<i>Packaging</i>	<i>individually packed</i>		
	<i>Material</i>	<i>wooden</i>		
133	<i>Tourniquet</i>			
	<i>Material</i>	<i>textured finish/smooth, latex free cotton ribbon</i>		
	<i>Features</i>	<i>disposable, elastic, retractable, highly flexible, snap-on safety closure, secure opening, quick and safe releasing, convenient roll clip</i>		
134	<i>Ultrasound Gel</i>			
	<i>Weight</i>	<i>5kg</i>		
	<i>Description</i>	<i>colorless, odorless, water soluble, salt free, Non corrosive, Non irritating, and Non abrasive materials is contained.</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
135	<i>Underpads Super Absorbent Gel</i>			
	<i>Size</i>	<i>60x90cm</i>		
	<i>Description</i>	<i>Disposable. Highly absorbent, soft fluff fill Waterproof. Sealed on all four sides to prevent leakage. Non-skid blue backing.</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		



136	Urinal			
	<i>Material</i>	<i>plastic</i>		
	<i>Description</i>	<i>for male, reusable, translucent, with lid, permits measuring ease and visualization contents.</i>		
137	Urine bag			
	<i>capacity</i>	<i>2L</i>		
	<i>tube length</i>	<i>120 cm</i>		
	<i>Inclusion</i>	<i>with dual hanger</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
138	UV sterilizer			
	<i>Type</i>	<i>Indoor Lighting with remote control, easy to use.</i>		
	<i>Power:</i>	<i>60W</i>		
	<i>Voltage:</i>	<i>220-240V 60Hz</i>		
	<i>UVC Wavelength</i>	<i>253.7nm</i>		
	<i>Area Coverage:</i>	<i>up to 60sqm</i>		
	<i>Light Frame Size:</i>	<i>350mm x 210mm x 1050mm</i>		
	<i>Frame Material:</i>	<i>Light Iron with High Grade Frosted Surface</i>		
	<i>Remote Control Timer:</i>	<i>15/30/60mins</i>		
	<i>Remote Control Range:</i>	<i>30m</i>		
	<i>Lamp Type:</i>	<i>2x 30W UVC Lamp</i>		
	<i>Lamp Base:</i>	<i>T5 G13</i>		
	<i>Lamp Burning Hours:</i>	<i>8000 HRS.</i>		
	<i>Replaceable Lamp:</i>	<i>Yes</i>		
	<i>Ozone Feature:</i>	<i>Yes</i>		



	<i>Warranty:</i>	<i>6 months</i>		
	<i>Delivery Period:</i>	<i>30 days upon issuance of NTD</i>		
<i>139</i>	<i>Vented Macro-Infusion Set</i>			
	<i>Tube Length</i>	<i>185cm</i>		
	<i>Size</i>	<i>ADULT</i>		
	<i>Features</i>	<i>with Anti Run Dry and Auto Prime with smartsite needle free system and pinch clamp.</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
<i>140</i>	<i>Volumetric Solution Infusion Set (Soluset)</i>			
	<i>Description & Features</i>	<i>Needleless. Air vented cover with an extra injection site. Air vented Spike</i>		
	<i>Material</i>	<i>Latex free Y-injection site.</i>		
	<i>Roller clamp</i>	<i>allows easy adjustment of drip rate.</i>		
	<i>Connector</i>	<i>Luer lock</i>		
	<i>Drops Chamber</i>	<i>60 drops chamber</i>		
	<i>Solution filter</i>	<i>15 micron</i>		
	<i>Instant stop clamp</i>	<i>Cuts off solution flow instantly.</i>		
	<i>Safety shut off valve</i>	<i>Prevents air bubble from forming in the fluid line once the burette is empty. Indicates level of infusion fluid.</i>		
	<i>Burette</i>	<i>clear, soft, cylindrical & calibrated 150mL. Burette chamber, ensures accurate infusion volume.</i>		
	<i>Tube length below chamber:</i>	<i>180cm</i>		
	<i>Tube length above chamber:</i>	<i>30cm.</i>		



	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
141	<i>Walker Rollator with Footrest</i>			
142	<i>WEIGHING SCALE</i>			
	<i>Type</i>	<i>bathroom scale mechanical. Easy to read.</i>		
	<i>Material</i>	<i>Made of high quality materials.</i>		
	<i>Capacity</i>	<i>130kg.</i>		
	<i>Graduation</i>	<i>1 kg.</i>		
	<i>Inclusions</i>	<i>Provide Calibration Certificate for each unit and Warranty Certificate 1 (ONE) year for parts and services which include Preventive, Corrective Maintenance and Calibration from the date of delivery, inspection and acceptance.</i>		
143	<i>Weighing Scale</i>			
	<i>Type</i>	<i>with Height and Weight Measurement</i>		
	<i>Description & Features</i>	<i>Heavy-duty solid stable platform. Superior Accuracy. Heavy duty understructure. Die cast beam, and aluminum on black insert. Easily read from either side. Factory assembled. All scales are tested with weights traceable to the National Institute of Standards and Technology (NIST). The die cast beam is dual reading and measures in BOTH pounds and kilograms.</i>		
	<i>Capacity:</i>	<i>400 lb x 4 oz (180 kg x 100 g).</i>		
	<i>Platform Size:</i>	<i>10-1/2 x 14-1/2 inches (267 x 368 mm).</i>		



	<i>Height Rod:</i>	<i>Measures 30-78 inches (76-198 cm).</i>		
	<i>Scale height:</i>	<i>59 inches (1.5 m)</i>		
	<i>Cartoon size:</i>	<i>Height: 57" x Width: 19 1/2". Length: 5 1/2", 20kg</i>		
	<i>Inclusions:</i>	<i>Provide Calibration Certificate for each unit and Warranty Certificate 1 (ONE) year for parts and 2 (TWO) years for services which include Preventive, Corrective Maintenance and Calibration from the date of delivery, inspection and acceptance. Perform installation, demonstration/training for end-user and maintenance personnel before handover of the unit.</i>		
	<i>Delivery Period:</i>	<i>30 days upon issuance of NTD</i>		
144	Wheelchair			
	<i>Material</i>	<i>Aluminum Alloy Wheelchair, Plastic Footplate. Powder Coating Steel Frame.</i>		
	<i>Size</i>	<i>(L*W*H): 1010*620*911mm.</i>		
	<i>Description</i>	<i>Double Cross Bar. Drop Back Handle with United Brake. flip Up Armrest. Flip Up Footrest. 6 inch solid front wheels. 12 inch Rear MAG Wheel with PU tyre.</i>		
	<i>Technical Parameters:</i>	<i>Overall length: 98-105cm, Total width: 65cm. Overall height: 92.5cm, Folding width:32cm. Height of backrest: 42cm. Seat depth: 40cm. Seat width: 46cm. Seat height: 51cm. Diameter of front wheel: 20cm. Diameter of rear wheel: 56.5cm. Maximum load: 100kg, Net weight 12.7kg</i>		
	<i>Delivery Period:</i>	<i>30 days upon issuance of NTD</i>		



145	Arterial Blood Gas Calibrant			
	<i>Compatibility</i>	<i>EDAN 15</i>		
	<i>Packaging</i>	<i>100pcs/pack</i>		
146	Arterial Blood Gas Test Cartridge			
	<i>Compatibility</i>	<i>BG3 EDAN i15</i>		
	<i>Packaging</i>	<i>25pcs/pack</i>		
147	BGE LEVEL 1			
	<i>Packaging</i>	<i>5 AMPULES / SET</i>		
148	BGE LEVEL 2			
	<i>Packaging</i>	<i>5 AMPULES / SET</i>		
149	BGE LEVEL 3			
	<i>Packaging</i>	<i>5 AMPULES / SET</i>		
150	High Flow Nasal Cannula			
	<i>Size</i>	<i>Medium</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
151	Pre-heparinized Arterial Blood Gas syringe			
	<i>Fill Volume</i>	<i>3cc</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		



152	Sterile Water			
	<i>Size</i>	<i>1 liter</i>		
	<i>Usage</i>	<i>(parenteral) sterile water for injection.</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
153	Transpore Plaster			
	<i>Size</i>	<i>1 inch</i>		
154	Ventilator Breathing Circuit			
	<i>Inclusions</i>	<i>2 limbs (with extra 150cc corrugated tube for the ventilator and humidifier connection), 2 H2O traps, non-heated, with nebulizer kit, disposable</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
155	Absorbable Hemostat, SURGICEL			
	<i>Description</i>	<i>hemostatic agent made of an oxidized cellulose polymer (the unit is polyanhydroglucuronic acid. (blood-clot-inducing material)</i>		
	<i>Size</i>	<i>3x4 inches</i>		
156	Anesthesia Set Flex Breathing Circuit			
	<i>Size</i>	<i>latex free Adult</i>		
	<i>Content</i>	<i>disposable anesthesia set, bag. With Fitting Mask. Consisting of 2 hoses, Y-piece,</i>		



		<i>Luer lock elbow and extendable bag hose, connector, fastening ring, 3L latex free breathing</i>		
157	Anesthesia Set Flex Breathing Circuit			
	<i>Size</i>	<i>Pedia</i>		
	<i>Content</i>	<i>disposable pediatric anesthesia set, consisting of 2 hoses (diameter 15mm), Y-piece, Luer lock elbow and extendable bag hose (diameter 15mm), connector, fastening ring, 1L latex free breathing bag.</i>		
158	Anesthesia tubing - Jackson -Reese Corrugated Breathing Circuit -			
	<i>Content</i>	2.15m Infant corrugated Tube, T-connector, BV filter with port, breathing bag latex free 1.0L, APL valve, end connector. With Anesthetic Valve Mask.		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
159	Autoclave tape indicator			
	<i>Description</i>	<i>high-tack adhesive, clean removal, saturated crepe paper backing with pressure-sensitive adhesive, for steam and chemical vapor sterilizers, lead free, latex free, (with at least 24 months expiration).</i>		
	<i>Size</i>	<i>1 inch x 35 yards</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		



160	Chlorehexidine Gluconate I.V. Securement Dressing			
	<i>Content</i>	<i>Gel pad contains 2% w/w CHG</i>		
	<i>Size</i>	<i>3 1/2 inches x 4 1/2 inches (8.5cm x 11.5cm)</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
161	Chlorehexidine Gluconate Solution (Antiseptic Handwash)			
	<i>Content</i>	<i>with 4% w/v Chlorhexidine Gluconate.</i>		
	<i>Size</i>	<i>500mL / bottle.</i>		
	<i>Certificate</i>	<i>With European Standard Certification</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
162	Cautery Pad			
	<i>Size</i>	<i>Adult</i>		
	<i>Description</i>	<i>disposable, solid gel, foam support 202x101mm, bipolar (REM Control), (with at least 24 months expiration).</i>		
	<i>Cable and Connector length</i>	<i>300m cable and valleylab connector</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
163	Cautery Pencil			
	<i>Description</i>	<i>Hand controlled with ultra clean blade electrode, safety holster</i>		
	<i>Tip</i>	<i>Teflon coated tip</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		



164	Cigarette drain (Penrose drainage tubing)			
	<i>Size</i>	<i>size 1/4"</i>		
	<i>Material</i>	<i>Pure rubber latex, X-ray opaque</i>		
	<i>Tube Length</i>	<i>18" length</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
165	Cigarette drain (Penrose drainage tubing)			
	<i>Size</i>	<i>size 1/2"</i>		
	<i>Material</i>	<i>Pure rubber latex, X-ray opaque</i>		
	<i>Tube Length</i>	<i>18" length</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
166	Cigarette drain (Penrose drainage tubing)			
	<i>Size</i>	<i>size 1"</i>		
	<i>Material</i>	<i>Pure rubber latex, X-ray opaque</i>		
	<i>Tube Length</i>	<i>18" length</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
167	Epidural set, Epidural Catheter, G.18			
	<i>Epidural needle:</i>	<i>Tuohy bevel. Diameter 1.30 x 80 mm, 18 G</i>		
	<i>Epidural catheter</i>	<i>Standard, Soft-Tip, or ONE catheter. Length 1000 mm. Threading assist guide.</i>		



	<i>Catheter connector:</i>	<i>"Snap" catheter connector.</i>		
	<i>EF epidural-flat-filter:;0.2 μm</i>	<i>Filling volume 0.45 ml. Pressure resistant up to 7 bar.</i>		
	<i>PinPad:</i>	<i>Filter fixation device - 0.2 μm filters. Self-adhesive.</i>		
	<i>LOR syringe:</i>	<i>ONE 451</i>		
168	<i>Extension Tube with Tri-Lumen NF</i>			
	<i>Features</i>	<i>Needle Free. with luer access valve, closed system, slide clamp. Kink resistant tubing.</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
169	<i>Extra Thin Patch Dressing</i>			
	<i>Size</i>	<i>8x8 inches/ 20x20cm,</i>		
	<i>Description</i>	<i>Thin flexible and versatile. Designed to reduce the risk of further skin breakdown due to friction.</i>		
	<i>Usage</i>	<i>Can be used as a primary hydrocolloid dressing for dry to lightly exuding wounds.</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
170	<i>Full Body Convective Warming Blanket</i>			
	<i>Usage</i>	<i>for smiths medical warmer</i>		
	<i>Size</i>	<i>Adult</i>		
171	<i>Full Body Convective Warming Blanket</i>			
	<i>Usage</i>	<i>for smiths medical warmer</i>		
	<i>Size</i>	<i>Pediatric</i>		



172	Guedel oral airway			
	<i>Size & Color</i>	<i>size 3, 90mm (yellow)</i>		
	<i>Description</i>	<i>Color-coded for easy identification. Smooth finish and rounded edges. Reinforced bite block helps prevent occlusion. Full range of sizes and convenient packaging options. Emergency kit available with a clear plastic case</i>		
173	Guedel oral airway			
	<i>Size & Color</i>	<i>size 4, 100mm (red)</i>		
	<i>Description</i>	<i>Color-coded for easy identification. Smooth finish and rounded edges. Reinforced bite block helps prevent occlusion. Full range of sizes and convenient packaging options. Emergency kit available with a clear plastic case</i>		
174	Hand Sanitizing Rub			
	<i>Content</i>	<i>70% Ethyl Alcohol + 0.5% Chlorhexidine (as Gluconate)</i>		
	<i>Size</i>	<i>500mL/bottle</i>		
	<i>Inclusion</i>	<i>with Nozzle Spray</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
175	Heat-Sealing Sterilization Reels Flat			
	<i>Size</i>	<i>75mm (3") x 100m</i>		
	<i>Description</i>	<i>light weight, not easy to deform, soft and smooth, light</i>		



		<p><i>and tough, excellent opacity, combined with the characteristics of paper, cloth and film; anti- moisture, water-resistant, without Adhesive. -Waterproof and breathable bacteria, -73 degrees can still maintain flexibility and high strength; 118 degrees began to shrink; 135 degrees began to melt. Fold-resistant (allows more than 20,000 times of repeated folding), the flexibility of the collection cloth (weight is a fraction of the cloth), the smoothness of the film, the appearance of the paper (half the weight of the paper) in one. - Good biocompatibility, peeling, no dust, added value, tearing packaging strength, bursting packaging, sealing force, sterilization period (more than 5 years), gas permeability (reducing the generation of extreme temperature condensate), safer Protection</i></p>		
176	Heat-Sealing Sterilization Flat Reels			
	Size	100mm (4") x 100m		
	Description	<p><i>light weight, not easy to deform, soft and smooth, light and tough, excellent opacity, combined with the characteristics of paper, cloth and film; anti- moisture, water-resistant, without Adhesive. -Waterproof and breathable bacteria, -73 degrees can still maintain flexibility and high strength; 118 degrees began to shrink; 135 degrees began to melt. Fold-resistant (allows more</i></p>		



		<p><i>than 20,000 times of repeated folding), the flexibility of the collection cloth (weight is a fraction of the cloth), the smoothness of the film, the appearance of the paper (half the weight of the paper) in one. - Good biocompatibility, peeling, no dust, added value, tearing packaging strength, bursting packaging, sealing force, sterilization period (more than 5 years), gas permeability (reducing the generation of extreme temperature condensate), safer Protection</i></p>		
177	Heat-Sealing Sterilization Flat Reels			
	<i>Size</i>	<i>150mm (6") x 100m</i>		
	<i>Description</i>	<p><i>light weight, not easy to deform, soft and smooth, light and tough, excellent opacity, combined with the characteristics of paper, cloth and film; anti- moisture, water-resistant, without Adhesive. -Waterproof and breathable bacteria, -73 degrees can still maintain flexibility and high strength; 118 degrees began to shrink; 135 degrees began to melt. Fold-resistant (allows more than 20,000 times of repeated folding), the flexibility of the collection cloth (weight is a fraction of the cloth), the smoothness of the film, the appearance of the paper (half the weight of the paper) in one. - Good biocompatibility, peeling, no dust, added value, tearing packaging strength, bursting packaging, sealing force, sterilization period</i></p>		



		<i>(more than 5 years), gas permeability (reducing the generation of extreme temperature condensate), safer Protection</i>		
178	Heat-Sealing Sterilization Flat Reels			
	<i>Size</i>	<i>200mm (8") x 100m</i>		
	<i>Description</i>	<i>light weight, not easy to deform, soft and smooth, light and tough, excellent opacity, combined with the characteristics of paper, cloth and film; anti- moisture, water-resistant, without Adhesive. -Waterproof and breathable bacteria, -73 degrees can still maintain flexibility and high strength; 118 degrees began to shrink; 135 degrees began to melt. Fold-resistant (allows more than 20,000 times of repeated folding), the flexibility of the collection cloth (weight is a fraction of the cloth), the smoothness of the film, the appearance of the paper (half the weight of the paper) in one. - Good biocompatibility, peeling, no dust, added value, tearing packaging strength, bursting packaging, sealing force, sterilization period (more than 5 years), gas permeability (reducing the generation of extreme temperature condensate), safer Protection</i>		
179	Heat-Sealing Sterilization Flat Reels			
	<i>Size</i>	<i>250mm (10") x 100m</i>		



	<i>Description</i>	<p><i>light weight, not easy to deform, soft and smooth, light and tough, excellent opacity, combined with the characteristics of paper, cloth and film; anti- moisture, water-resistant, without Adhesive. -Waterproof and breathable bacteria, -73 degrees can still maintain flexibility and high strength; 118 degrees began to shrink; 135 degrees began to melt. Fold-resistant (allows more than 20,000 times of repeated folding), the flexibility of the collection cloth (weight is a fraction of the cloth), the smoothness of the film, the appearance of the paper (half the weight of the paper) in one. - Good biocompatibility, peeling, no dust, added value, tearing packaging strength, bursting packaging, sealing force, sterilization period (more than 5 years), gas permeability (reducing the generation of extreme temperature condensate), safer Protection</i></p>		
180	Heat-Sealing Sterilization Reels (pouches) Gusseted			
	<i>Size</i>	75mm (3") x 100m		
	<i>Description</i>	<p><i>Medical grade paper with at least technic 60 gsm for an effective barrier against germs and bacteria yet it permits the transmissions of air, steam or sterilization gas; Reinforced film to avoid tear during the opening; Peel-easy film permits film separate from paper with no shatters; Clean and accurate indicator color change; Tear, fibre-free</i></p>		



		<i>opening and septic presentation; Triple band seal for higher package integrity which effectively avoiding cracks.</i>		
181	Heat-Sealing Sterilization Reels (pouches) Gusseted			
	Size	100mm (4") x 100m		
	Description	<i>Medical grade paper with at least technic 60 gsm for an effective barrier against germs and bacteria yet it permits the transmissions of air, steam or sterilization gas; Reinforced film to avoid tear during the opening; Peel-easy film permits film separate from paper with no shatters; Clean and accurate indicator color change; Tear, fibre-free opening and septic presentation; Triple band seal for higher package integrity which effectively avoiding cracks.</i>		
182	Heat-Sealing Sterilization Reels (pouches) Gusseted			
	Size	150mm (6") x 100m		
	Description	<i>Medical grade paper with at least technic 60 gsm for an effective barrier against germs and bacteria yet it permits the transmissions of air, steam or sterilization gas; Reinforced film to avoid tear during the opening; Peel-easy film permits film separate from paper with no shatters; Clean and accurate indicator color change; Tear, fibre-free opening and septic presentation; Triple band seal</i>		



		<i>for higher package integrity which effectively avoiding cracks.</i>		
183	Heat-Sealing Sterilization Reels (pouches) Gusseted			
	<i>Size</i>	<i>200mm (8") x 100m</i>		
	<i>Description</i>	<i>Medical grade paper with at least technic 60 gsm for an effective barrier against germs and bacteria yet it permits the transmissions of air, steam or sterilization gas; Reinforced film to avoid tear during the opening; Peel-easy film permits film separate from paper with no shatters; Clean and accurate indicator color change; Tear, fibre-free opening and septic presentation; Triple band seal for higher package integrity which effectively avoiding cracks.</i>		
184	Heat-Sealing Sterilization Reels (pouches) Gusseted			
	<i>Size</i>	<i>250mm (10") x 100m</i>		
	<i>Description</i>	<i>Medical grade paper with at least technic 60 gsm for an effective barrier against germs and bacteria yet it permits the transmissions of air, steam or sterilization gas; Reinforced film to avoid tear during the opening; Peel-easy film permits film separate from paper with no shatters; Clean and accurate indicator color change; Tear, fibre-free opening and septic presentation; Triple band seal for higher package integrity</i>		



		<i>which effectively avoiding cracks.</i>		
185	High Level Disinfectant Solution Ortho			
	<i>Description & Usage</i>	<i>Phthalaldehyde, Ready-to-use for Medical Instruments, 6mins contact time, atleast 28days use-life.</i>		
	<i>Size</i>	<i>Atleast 5L/Gallon</i>		
	<i>Content</i>	<i>0.55% Ortho-Phthalaldehyde active ingredients.</i>		
	<i>Effectiveness</i>	<i>Effective againts wide array of microorganisms. It kills vegetative bacteria,mycobacteria viruses and fungi.</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
186	Laparotomy Sponge			
	<i>Size</i>	<i>40's 28x24 mesh, 18" x 18" 16 ply</i>		
	<i>Description</i>	<i>sterile, with x-ray detectable strip</i>		
	<i>Packaging</i>	<i>1pc per pack</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
187	Material	Nylon Monofilament		
	<i>Absorption</i>	<i>Non Absorbable Suture</i>		
	<i>Size</i>	<i>size 2-0</i>		
	<i>Length</i>	<i>45cm</i>		
	<i>Needle Name</i>	<i>reverse cutting needle</i>		
	<i>Needle Length</i>	<i>26mm</i>		
	<i>Curvature</i>	<i>3/8 circle</i>		



	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
188	Material	Nylon Monofilament		
	<i>Absorption</i>	<i>Non Absorbable Suture</i>		
	<i>Size</i>	<i>size 3-0</i>		
	<i>Length</i>	<i>75cm</i>		
	<i>Needle Name</i>	<i>reverse cutting needle</i>		
	<i>Needle Length</i>	<i>24mm</i>		
	<i>Curvature</i>	<i>3/8 circle</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
189	Material	Nylon Monofilament		
	<i>Absorption</i>	<i>Non Absorbable Suture</i>		
	<i>Size</i>	<i>size 4-0</i>		
	<i>Length</i>	<i>75cm</i>		
	<i>Needle Name</i>	<i>reverse cutting needle</i>		
	<i>Needle Length</i>	<i>19mm</i>		
	<i>Curvature</i>	<i>3/8 circle</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
190	Material	Nylon Monofilament		
	<i>Absorption</i>	<i>Non Absorbable Suture</i>		
	<i>Size</i>	<i>size 5-0</i>		
	<i>Length</i>	<i>45cm</i>		
	<i>Needle Name</i>	<i>reverse cutting needle</i>		



	<i>Needle Length</i>	<i>19mm</i>		
	<i>Curvature</i>	<i>3/8 circle</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
191	<i>Material</i>	<i>Nylon Monofilament</i>		
	<i>Absorption</i>	<i>Non Absorbable Suture</i>		
	<i>Size</i>	<i>size 6-0</i>		
	<i>Length</i>	<i>45cm</i>		
	<i>Needle Name</i>	<i>reverse cutting needle</i>		
	<i>Needle Length</i>	<i>16mm</i>		
	<i>Curvature</i>	<i>3/8 circle</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
192	<i>Material</i>	<i>Nylon Black Monofilament</i>		
	<i>Absorption</i>	<i>non-absorbable surgical suture</i>		
	<i>Size</i>	<i>size 8-0</i>		
	<i>Length</i>	<i>16" (40cm)</i>		
	<i>Needle Name</i>	<i>ophthalmic spatula</i>		
	<i>Needle Length</i>	<i>6.0mm</i>		
	<i>Curvature</i>	<i>3/8 circle</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
193	<i>Material</i>	<i>Nylon Black Monofilament</i>		
	<i>Absorption</i>	<i>non-absorbable</i>		
	<i>Size</i>	<i>size 10-0</i>		



	<i>Length</i>	<i>12" (30cm)</i>		
	<i>Needle Name</i>	<i>Ophthalmic needles</i>		
	<i>Needle Length</i>	<i>6.2mm</i>		
	<i>Curvature</i>	<i>3/8 circle</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
194	Ortho Surgical Gloves			
	<i>Type and Material</i>	<i>latex</i>		
	<i>Size</i>	<i>7.0</i>		
	<i>Design And Features</i>	<ul style="list-style-type: none"> > <i>Textured Finish of Both Fingers and Palm</i> > <i>Beaded Cuff</i> > <i>With Internal Coating of Polymer</i> > <i>protein content : 30 µg/g</i> > <i>Anatomic Shape with Curved Fingers</i> > <i>50 % Thicker than Normal Gloves</i> > <i>AQL is 0.65</i> > <i>protein content : 30 µg/g (micro gram per extract of protein)</i> > <i>Tested for Chemotherapy Drugs under ASTM D6978</i> > <i>Updated Manufacturer Declaration of conformity latest within year 2023 from the supplier and Third party laboratory</i> 		
	<i>Dimension</i>	<ul style="list-style-type: none"> <i>Thickness of Fingers: 0.33 ± 0.03 mm.</i> <i>Palm Thickness: 0.31 ± 0.03 mm.</i> <i>Thickness of Cuff: 0.25 ± 0.03 mm</i> <i>Length of Gloves: 301 mm.</i> 		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		



195	Ortho Surgical Gloves			
	<i>Type and Material</i>	<i>latex</i>		
	<i>Size</i>	<i>7.5</i>		
	<i>Design And Features</i>	<ul style="list-style-type: none"> >Textured Finish of Both Fingers and Palm >Beaded Cuff > With Internal Coating of Polymer > protein content : 30 µg/g > Anatomic Shape with Curved Fingers > 50 % Thicker than Normal Gloves > AQL is 0.65 > protein content : 30 µg/g (micro gram per extract of protein) >Tested for Chemotherapy Drugs under ASTM D6978 > Updated Manufacturer Declaration of conformity latest within year 2023 from the supplier and Third party laboratory 		
	<i>Dimension</i>	<ul style="list-style-type: none"> Thickness of Fingers:0.33 ± 0.03 mm. Palm Thickness:0.31 ± 0.03 mm. Thickness of Cuff:0.25 ± 0.03 mm Length of Gloves:301 mm. 		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
196	Ortho Surgical Gloves			
	<i>Type and Material</i>	<i>latex</i>		
	<i>Size</i>	<i>8.0</i>		
	<i>Design And Features</i>	<ul style="list-style-type: none"> >Textured Finish of Both Fingers and Palm >Beaded Cuff 		



		<p>> <i>With Internal Coating of Polymer</i></p> <p>> <i>protein content : 30 µg/g</i></p> <p>> <i>Anatomic Shape with Curved Fingers</i></p> <p>> <i>50 % Thicker than Normal Gloves</i></p> <p>> <i>AQL is 0.65</i></p> <p>> <i>protein content : 30 µg/g (micro gram per extract of protein)</i></p> <p>> <i>Tested for Chemotherapy Drugs under ASTM D6978</i></p> <p>> <i>Updated Manufacturer Declaration of conformity latest within year 2023 from the supplier and Third party laboratory</i></p>		
	<i>Dimension</i>	<p><i>Thickness of Fingers:0.33 ± 0.03 mm.</i></p> <p><i>Palm Thickness:0.31 ± 0.03 mm.</i></p> <p><i>Thickness of Cuff:0.25 ± 0.03 mm</i></p> <p><i>Length of Gloves:301 mm.</i></p>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
197	Material	PGA (Polyglycolic Acid/Polyglactin)		
	<i>Absorption</i>	<i>braided absorbable suture</i>		
	<i>Size</i>	<i>size 4-0</i>		
	<i>Length</i>	<i>75cm</i>		
	<i>Needle Name</i>	<i>reverse cutting needle</i>		
	<i>Needle Length</i>	<i>19mm</i>		
	<i>Curvature</i>	<i>3/8 circle</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
198	Material	PGA (Polyglycolic Acid/Polyglactin)		



	<i>Absorption</i>	<i>braided absorbable suture</i>		
	<i>Size</i>	<i>size 5-0</i>		
	<i>Length</i>	<i>28''</i>		
	<i>Needle Name</i>	<i>cutting needle</i>		
	<i>Needle Length</i>	<i>19mm</i>		
	<i>Curvature</i>	<i>3/8 circle</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
199	Material	PGA (Polyglycolic / Polyglactic Acid)		
	<i>Absorption</i>	<i>braided, coated, braided synthetic absorbable</i>		
	<i>Size</i>	<i>size 0</i>		
	<i>Length</i>	<i>90cm</i>		
	<i>Needle Name</i>	<i>taper point / round needle</i>		
	<i>Needle Length</i>	<i>37mm</i>		
	<i>Curvature</i>	<i>1/2 circle</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
200	Material	PGA (Polyglycolic / Polyglactic Acid)		
	<i>Absorption</i>	<i>braided, coated, braided synthetic absorbable</i>		
	<i>Size</i>	<i>size 1-0</i>		
	<i>Length</i>	<i>90cm</i>		
	<i>Needle Name</i>	<i>taper point / round needle</i>		
	<i>Needle Length</i>	<i>37mm</i>		
	<i>Curvature</i>	<i>1/2 circle</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		



201	Material	PGA (Polyglycolic / Polyglactic Acid)		
	<i>Absorption</i>	<i>braided, coated, braided synthetic absorbable</i>		
	<i>Size</i>	<i>size 2-0</i>		
	<i>Length</i>	<i>90cm</i>		
	<i>Needle Name</i>	<i>taper point / round needle</i>		
	<i>Needle Length</i>	<i>37mm</i>		
	<i>Curvature</i>	<i>1/2 circle</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
202	Material	PGA (Polyglycolic / Polyglactic Acid)		
	<i>Absorption</i>	<i>braided, coated, braided synthetic absorbable</i>		
	<i>Size</i>	<i>size 3-0</i>		
	<i>Length</i>	<i>90 cm</i>		
	<i>Needle Name</i>	<i>taper point / round needle</i>		
	<i>Needle Length</i>	<i>26 mm</i>		
	<i>Curvature</i>	<i>1/2 circle</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
203	Material	PGA (Polyglycolic Acid)		
	<i>Absorption</i>	<i>braided absorbable suture</i>		
	<i>Size</i>	<i>size 4-0</i>		
	<i>Length</i>	<i>75 cm</i>		
	<i>Needle Name</i>	<i>taper point / round needle</i>		
	<i>Needle Length</i>	<i>26 mm</i>		



	<i>Curvature</i>	<i>1/2 circle</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
204	Material	PGA (Polyglycolic Acid)		
	<i>Absorption</i>	<i>absorbable surgical suture</i>		
	<i>Size</i>	<i>size 8-0</i>		
	<i>Length</i>	<i>30 cm (12")</i>		
	<i>Needle Name</i>	<i>ophthalmic spatula</i>		
	<i>Needle Length</i>	<i>6.0 mm</i>		
	<i>Curvature</i>	<i>3/8 circle</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
205	Material	Polypropylene Monofilament		
	<i>Absorption</i>	<i>Non- Absorbable</i>		
	<i>Size</i>	<i>size 4-0</i>		
	<i>Length</i>	<i>90 cm</i>		
	<i>Needle Name</i>	<i>reverse cutting needle</i>		
	<i>Needle Length</i>	<i>19 mm</i>		
	<i>Curvature</i>	<i>3/8 circle</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
206	Material	Polypropylene monofilament		
	<i>Absorption</i>	<i>Non- Absorbable</i>		
	<i>Size</i>	<i>size 2-0</i>		
	<i>Length</i>	<i>90 cm</i>		
	<i>Needle Name</i>	<i>round needle / taper needle</i>		



	<i>Needle Length</i>	<i>30 mm</i>		
	<i>Curvature</i>	<i>1/2 circle</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
207	<i>Scalpel Blade #10 Disposable</i>			
	<i>Size</i>	<i>#10</i>		
	<i>Description</i>	<i>Dermaplaning Blades with Plastic Handle, Scalpel Blades</i>		
	<i>Material</i>	<i>High Carbon Steel Dermablade Blades</i>		
	<i>Packaging</i>	<i>Individually Wrapped Sterile</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
208	<i>Scalpel Blade #11 Disposable</i>			
	<i>Size</i>	<i>#11</i>		
	<i>Description</i>	<i>Dermaplaning Blades with Plastic Handle, Scalpel Blades</i>		
	<i>Material</i>	<i>High Carbon Steel Dermablade Blades</i>		
	<i>Packaging</i>	<i>Individually Wrapped Sterile</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
209	<i>Scalpel Blade #15 Disposable</i>			
	<i>Size</i>	<i>#15</i>		
	<i>Description</i>	<i>Dermaplaning Blades with Plastic Handle, Scalpel Blades</i>		
	<i>Material</i>	<i>High Carbon Steel Dermablade Blades</i>		
	<i>Packaging</i>	<i>Individually Wrapped Sterile</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		



210	Scalpel Blade #20 Disposable			
	<i>Size</i>	#20		
	<i>Description</i>	<i>Dermaplaning Blades with Plastic Handle, Scalpel Blades</i>		
	<i>Material</i>	<i>High Carbon Steel Dermablade Blades</i>		
	<i>Packaging</i>	<i>Individually Wrapped Sterile</i>		
211	Material	Silk		
	<i>Absorption</i>	<i>braided, non absorbable</i>		
	<i>Size</i>	<i>size 2-0</i>		
	<i>Length</i>	<i>75 cm</i>		
	<i>Needle Name</i>	<i>curved cutting needle</i>		
	<i>Needle Length</i>	<i>40 mm</i>		
	<i>Curvature</i>	<i>1/2 circle</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
212	Material	Silk		
	<i>Absorption</i>	<i>braided, non absorbable suture</i>		
	<i>Size</i>	<i>size 2-0</i>		
	<i>Length</i>	<i>76 cm</i>		
	<i>Needle Name</i>	<i>Reverse Cutting Needle</i>		
	<i>Needle Length</i>	<i>26 mm</i>		
	<i>Curvature</i>	<i>3/8 circle</i>		



	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
213	Material	Silk		
	<i>Absorption</i>	<i>braided, non absorbable suture</i>		
	<i>Size</i>	<i>size 3-0</i>		
	<i>Length</i>	<i>75 cm</i>		
	<i>Needle Name</i>	<i>Reverse Cutting Needle</i>		
	<i>Needle Length</i>	<i>24 mm</i>		
	<i>Curvature</i>	<i>1/2 circle</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
214	Material	Silk		
	<i>Absorption</i>	<i>braided, non absorbable suture</i>		
	<i>Size</i>	<i>size 4-0</i>		
	<i>Length</i>	<i>75 cm</i>		
	<i>Needle Name</i>	<i>Taper Point / Round Needle</i>		
	<i>Needle Length</i>	<i>26 mm</i>		
	<i>Curvature</i>	<i>1/2 circle</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
215	Spinal Anesthesia Needle			
	<i>Sterility</i>	<i>sterile</i>		
	<i>Needle Size</i>	<i>G. 25 x 3 1/2"</i>		
	<i>Length</i>	<i>must be sharp and sturdy</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		



216	Spray foam			
	<i>Description Features</i>	<i>Ready-to-use enzymatic pre-cleaning with disinfection foam based with active ingredients such as protease and surfactants for keeping surgical instruments moist, active against enveloped viruses, bactericidal, levurocidal, has N,N-Didecyl-N-methyl-poly (oxyethyl) ammonium propionate and N-(3-Aminopropyl)-N-dodecylpropane-1, 3-diamine</i>		
	<i>Size</i>	<i>0.5L</i>		
217	Steri strip			
	<i>Size</i>	<i>12mm x 100mm</i>		
218	Steri strip			
	<i>Size</i>	<i>6mm x 100mm</i>		
219	Suction Poole Drain			
	<i>Description</i>	<i>non-toxic, non-pyrogenic, sterilized by EO gas</i>		
	<i>Inclusions</i>	<i>with 210cm universal connecting tube, with removable suction tip cover</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
220	Surgical Blade #10			
	<i>Size</i>	<i>#10</i>		
	<i>Description/ Features</i>	<i>Superior cutting quality, strength and corrosion resistant characterize these</i>		



		<i>stainless steel, disposable blades.</i>		
	<i>Packaging</i>	<i>Individually wrapped and sealed in aluminum foil to maintain sterility (gamma irradiation), ensuring long shelf-life.</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
221	<i>Surgical Blade #11</i>			
	<i>Size</i>	<i>#11</i>		
	<i>Description/ Features</i>	<i>Superior cutting quality, strength and corrosion resistant characterize these stainless steel, disposable blades.</i>		
	<i>Packaging</i>	<i>Individually wrapped and sealed in aluminum foil to maintain sterility (gamma irradiation), ensuring long shelf-life.</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
222	<i>Surgical Blade #12</i>			
	<i>Size</i>	<i>#12</i>		
	<i>Description/ Features</i>	<i>Superior cutting quality, strength and corrosion resistant characterize these stainless steel, disposable blades.</i>		
	<i>Packaging</i>	<i>Individually wrapped and sealed in aluminum foil to maintain sterility (gamma irradiation), ensuring long shelf-life.</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
223	<i>Surgical Blade #15</i>			



	<i>Size</i>	<i>#15</i>		
	<i>Description/ Features</i>	<i>Superior cutting quality, strength and corrosion resistant characterize these stainless steel, disposable blades.</i>		
	<i>Packaging</i>	<i>Individually wrapped and sealed in aluminum foil to maintain sterility (gamma irradiation), ensuring long shelf-life.</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
224	<i>Surgical Blade #20</i>			
	<i>Size</i>	<i>#20</i>		
	<i>Description/ Features</i>	<i>Superior cutting quality, strength and corrosion resistant characterize these stainless steel, disposable blades.</i>		
	<i>Packaging</i>	<i>Individually wrapped and sealed in aluminum foil to maintain sterility (gamma irradiation), ensuring long shelf-life.</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
225	<i>Surgical Marking pen with ruler</i>			
	<i>Packaging</i>	<i>sterilized, individually packed</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
226	<i>Transparent + Pad Film Dressing</i>			
	<i>Description Features</i>	<i>Sterile, waterproof breathable transparent dressing with absorbent Non-Adherent Pad. With viral and bacterial barrier.</i>		
	<i>Dressing Size</i>	<i>9 cm x 15 cm, Pad size: 4.5 cm x 10 cm</i>		



	<i>Shelf-life</i>	<i>with at least 18 to 24 months expiration</i>		
227	Transparent + Pad Film Dressing			
	<i>Description Features</i> /	<i>Sterile, waterproof breathable transparent dressing with absorbent Non-Adherent Pad. With viral and bacterial barrier.</i>		
	<i>Dressing Size</i>	<i>9 cm x 20 cm, Pad size: 4.5 cm x 15 cm</i>		
	<i>Shelf-life</i>	<i>with at least 18 to 24 months expiration</i>		
228	Wound Drainage System			
	<i>Capacity</i>	<i>Silicone 100-150 mL reservoir capacity</i>		
	<i>Description Features</i> &	<i>with clear calibration and built-in clip hanger, NRV (Non return valve) system, 720mm Silicone connecting tube with radio opaque line, 110mmHg Negative pressure, with or without Trocar needle.</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
229	Steam Indicator Strips			
	<i>Packaging</i>	<i>200's / box</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
230	Velocity Biological Indicator 30 CT			
	<i>Usage</i>	<i>for Plasma Sterilizer</i>		
	<i>Compatibility</i>	<i>must be recommended by manufacturing brand (Sterrad)</i>		
231	Chemical Indicator strip			



	<i>Packaging</i>	<i>box of 1000's</i>		
	<i>Compatibility</i>	<i>must be recommended by manufacturing brand (Sterrad)</i>		
232	Cassette 100 NX			
	<i>Packaging</i>	<i>2's</i>		
	<i>Compatibility</i>	<i>must be recommended by manufacturing brand (Sterrad)</i>		
233	Phacoemulsification Basic Vacuum Pack			
	<i>Compatibility</i>	<i>must be compatible with Stellaris Phaco Machine</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
234	Double-J Ureteral Stent Set			
	<i>Included in the set:</i>	<i>(1 pc) Guidewire with 0.035 inch or 0.038 inch in diameter, length of 145-155cm that should fit inside the lumen of the included double-J stent and the included open ended stent; (1 pc) Double-J Stent Pusher that should be radioopaque or should have a portion detectable by fluoroscopy; (1 pc) Open End Stent. Diameter: 6Fr (1 pc) Double-J Ureteral Stent. Diameter: 6Fr. Length: 26 cm.</i>		
	<i>Sterility</i>	<i>All items must be sterile.</i>		
235	Double-J Ureteral Stent Set			
	<i>Included in the set:</i>	<i>(1 pc) Guidewire with 0.035 inch or 0.038 inch in</i>		



		<p>diameter, length of 145-155cm that should fit inside the lumen of the included double-J stent and the included open ended stent; (1 pc) Double-J Stent Pusher that should be radioopaque or should have a portion detectable by fluoroscopy; (1 pc) Open End Stent. Diameter: 6Fr (1 pc) Double-J Ureteral Stent. Diameter: 6Fr. Length: 26 cm.</p>		
	<i>Sterility</i>	<i>All items must be sterile.</i>		
236	<i>Sterile Percutaneous Nephrostomy Tube Set</i>			
	<i>Included in the set:</i>	<p>(1 pc) 14Fr nephrostomy tube, Length: at least 30cm; (1 pc) Metallic probe to straighten cannula; (1 pc) Flexible probe to straighten cannula; (1 pc) Gauge 18, 20 cm, introducer needle with hollow outer sheath; (1 pc) J-tip guide wire with a 0.035 inch diameter, length of 90cm-150cm; (6 pcs) tract dilators — 6F, 8F, 10F, 12F, 14F, 15F (1 pc) Contrasting needle; (1 pc) Connecting Tube from Nephrostomy to Urine Bag; (1 pc) Blade 11 Scalpel; (1 pc) Stopcock</p>		
	<i>Shelf-life</i>	<i>with at least 18 to 24 months expiration</i>		
237	<i>Sterile Percutaneous Nephrostomy Tube Set</i>			
		<p>(1 pc) 12Fr nephrostomy tube, Length 30cm;</p>		



		<p>(1 pc) <i>Metallic probe to straighten cannula;</i> (1 pc) <i>Flexible probe to straighten cannula;</i> (1 pc) <i>Gauge 18, 20 cm, introducer needle with hollow outer sheath;</i> (1 pc) <i>J-tip guide wire with a 0.035 inch diameter, length of 90cm-150cm;</i> (5 pcs) <i>tract dilators — 6F, 8F, 10F, 12F, 13F</i> (1 pc) <i>Contrasting needle;</i> (1 pc) <i>Connecting Tube from Nephrostomy to Urine Bag;</i> (1 pc) <i>Blade 11 Scalpel;</i> (1 pc) <i>Stopcock</i></p>		
238	Towel Forceps, Backhaus			
	<i>Size</i>	<i>13cm / 5 inches</i>		
	<i>Delivery Period:</i>	<i>60 days upon issuance of NTD</i>		
239	Scissors, Sh/Bl, Straight			
	<i>Size</i>	<i>14.5 cm / 5.75 inches</i>		
	<i>Delivery Period</i>	<i>60 days upon issuance of NTD</i>		
240	Episiotomy Scissors			
	<i>Type</i>	<i>Blunt/Blunt, Curved</i>		
	<i>Size</i>	<i>19cm / 7.5 inches</i>		
	<i>Delivery Period</i>	<i>60 days upon issuance of NTD</i>		
241	Umbilical Cord Scissors, Mod. USA			
	<i>Size</i>	<i>1.5cm / 4.25 inches</i>		
	<i>Delivery Period</i>	<i>60 days upon issuance of NTD</i>		



242	Dressing Forceps Standard			
	Type	Straight		
	Size	13cm / 5 inches		
	Delivery Period	60 days upon issuance of NTD		
243	Tissue Forceps			
	Type	Standard Pattern, Straight		
	Size	1x2 Teeth, 13 cm / 5 inch		
	Delivery Period	60 days upon issuance of NTD		
244	Delicate Haemostatic Forcep			
	Type	Crile, Straight		
	Size	14.5cm / 5.75 inch		
	Delivery Period	60 days upon issuance of NTD		
245	Needle Holder			
	Type	Mayo-Hegar, Straight		
	Size	16cm / 6.25 inches		
	Delivery Period	60 days upon issuance of NTD		
246	Needle Holder			
	Type	Mayo- Hegar, Straight		
	Size	18cm / 7 inches		
	Delivery Period	60 days upon issuance of NTD		



247	Towel Forceps			
	Type	Lorna		
	Size	13cm / 5 inches		
	Delivery Period	60 days upon issuance of NTD		
248	302641-200 EEG Electrodes 60", Black			
	SKU Number	302641-200		
	Lead Length	60"		
	Connector	Black		
	Packaging	pack of 10 pieces		
249	302641-200 EEG Electrodes 60", Yellow			
	SKU Number	302641-200		
	Lead Length	60"		
	Connector	Yellow		
	Packaging	pack of 10 pieces		
250	302641-200 EEG Electrodes 60", Red			
	SKU Number	302641-200		
	Lead Length	60"		
	Connector	Red		
	Packaging	pack of 10 pieces		



251	EEG Paste			
	<i>Size</i>	400g		
252	Nu Prep / Skin Pure			
253	Description	EMG Needle		
	<i>Part Number</i>	<i>Pro-25Saf</i>		
254	Description	EMG Needle		
	<i>Part Number</i>	<i>Pro-37Saf</i>		
255	Description	EMG Needle		
	<i>Part Number</i>	<i>Pro-50Saf</i>		
256	Reflex/Neuro Hammer			
	<i>Description</i>	<i>Neuro hammer with brush and pin</i>		
257	Digital weighing scale			
	<i>Type</i>	<i>Digital weighing scale portable</i>		
	<i>Description & Features</i>	<i>heavy duty, can hold up to 200kg, non-slip rubber base</i>		
	<i>Warranty & Certificate</i>	<i>Provide 1 (ONE) year warranty certificate from the date of delivery, inspection and acceptance. With Calibration Certificate if applicable.</i>		
	<i>Delivery Period</i>	<i>30 days upon issuance of NTD</i>		



258	Body Composition Analyzer			
	Type	portable		
	Description & Features	multi-frequency biometric impedance technology		
	Weight Capacity	270kg		
	Warranty & Certificate	Provide 1 (ONE) year warranty certificate from the date of delivery, inspection and acceptance. With Calibration Certificate if applicable.		
	Delivery Period	30 days upon issuance of NTD		
259	Digital Skinfold Caliper			
	Type	Digital		
	Description & Features	electronic with LCD screen, 80mm range, non-slip coating, durable and portable		
	Material	plastic material		
260	Manual Skinfold Caliper			
	Type	Manual		
	Description & Features	80mm range, non-slip coating, durable and portable.		
	Material	plastic material		
261	Portable Stadiometer			
	Description	up to height of 205cm (81inch), easy to set-up. No wall fastening necessary.		
	Warranty & Certificate	Provide 1 (ONE) year warranty certificate from the date of delivery, inspection		



		<i>and acceptance. With Calibration Certificate if applicable.</i>		
	<i>Delivery Period</i>	<i>30 days upon issuance of NTD</i>		
262	<i>Knee-Height Caliper</i>			
	<i>Description & Features</i>	<i>aluminum body sonstruction, 60cm range, measure left leg or right leg, durable and lightweight, smooth-sliding caliper arm.</i>		
	<i>Warranty & Certificate</i>	<i>Provide 1 (ONE) year warranty certificate from the date of delivery, inspection and acceptance. With Calibration Certificate if applicable.</i>		
	<i>Delivery Period</i>	<i>30 days upon issuance of NTD</i>		
263	<i>Arterio-Venous Fistula (AVF) kit</i>			
	<i>Inclusions</i>	<i>inclusive of 4 sterile cherry balls, drape, 2 pillows, 2 sterile gauze, 2 antiseptic pads, and 3 10cc syringes with needle</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
264	<i>Sub clavian kit</i>			
	<i>Inclusions</i>	<i>inclusive of 1 pair of Sterile Gloves size 7, 2 packs of sterile gauze 4x4x8 5's, 1 pc sterile drape, 4 pcs Chlorhexidine pad, 2pcs heplock, 2 10cc syringes with needle</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
265	<i>Dialysis Needle for Fistula and Graft</i>			



	<i>Size</i>	<i>G15, arterial, 1.6 x 25mm</i>		
	<i>Description</i>	<i>with metal stainless needle, with back eye, and sharp cutting edge, providing smooth insertion, fixed wing</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
266	<i>Dialysis Needle for Fistula and Graft</i>			
	<i>Size</i>	<i>G15, venous , 1.6 x 25mm</i>		
	<i>Description</i>	<i>with metal stainless needle, smooth insertion, with fixed wing</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
267	<i>Dialysis Needle for Fistula and Graft</i>			
	<i>Size</i>	<i>G16, arterial, 1.6 x 25mm</i>		
	<i>Description</i>	<i>with metal stainless needle, with back eye, and sharp cutting edge, providing smooth insertion, fixed wing</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
268	<i>Dialysis Needle for Fistula and Graft</i>			
	<i>Size</i>	<i>G16, venous , 1.6 x 25mm</i>		
	<i>Description</i>	<i>with metal stainless needle, smooth insertion, with fixed wing</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
269	<i>Dialysis Needle for Fistula and Graft</i>			
	<i>Size</i>	<i>G17, arterial, 1.6 x 25mm</i>		
	<i>Description</i>	<i>with metal stainless needle, with back eye, and sharp</i>		



		<i>cutting edge, providing smooth insertion, fixed wing</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
270	<i>Dialysis Needle for Fistula and Graft</i>			
	<i>Size</i>	<i>G17, venous , 1.6 x 25mm</i>		
	<i>Description</i>	<i>with metal stainless needle, smooth insertion, with fixed wing</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
271	<i>Acid Concentrate Pre-Mix</i>			
	<i>Size</i>	<i>5 liter per container</i>		
	<i>Contents</i>	<i>each liter contains: sodium chloride 210.67 grams - 219.70 grams, potassium chloride 5.219 grams to 5.50 grams, calcium chloride 6.47 grams to 8.10 grams, magnesium chloride 3.55 grams to 7.54 grams, glacial acetic acid 4.70 grams to 8.46 grams, with or without glucose.</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
	<i>Compatibility Requirements &</i>	<i>must be compatible with the technical requirements of the existing hemodialysis machine (Fresenius 4008s) and will not require technical adjustments/ service prior usage.</i>		
272	<i>Bicarbonate Concentrate powder</i>			
	<i>Content</i>	<i>8.4kg/100L concentrate (8.4%), each 100 ml of this concentrate contain 84 grams sodium hydrogen carbonate,</i>		



	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
	<i>Compatibility Requirements &</i>	<i>will not require technical adjustments/service prior usage. Must be compatible with 4008s hemodialysis machine.</i>		
273	<i>Chlorine Test Strip</i>			
	<i>Packaging</i>	<i>50 strips per bottle</i>		
	<i>Shelf-life</i>	<i>with shelf life of 18 months</i>		
274	<i>Potency Strips</i>			
	<i>Usage</i>	<i>test for potency of peracetic acid in dialyzer reuse</i>		
	<i>Packaging</i>	<i>100 strips per bottle</i>		
	<i>Shelf-life</i>	<i>with shelf life of 18 months</i>		
275	<i>Total hardness paper test strip</i>			
	<i>Packaging</i>	<i>100 strips per bottle</i>		
	<i>Shelf-life</i>	<i>with shelf life of 18 months</i>		
276	<i>Test for residual peroxide in rinse water</i>			
	<i>Packaging</i>	<i>100 strips per bottle</i>		
	<i>Shelf-life</i>	<i>with shelf life of 18 months</i>		
277	<i>Bloodlines AV-Set with drain bag and macroset</i>			
	<i>Size</i>	<i>blood pump segment diameter (ID) 8mm x (OD),12mm, chamber size 22mm ,</i>		



	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
	<i>Compatibility & Requirements</i>	<i>must be compatible with the technical requirements of the existing hemodialysis machine (Fresenius), will not require technical adjustments/service prior usage, so as not to void warranty of equipment supplier, must be compatible with 4008s hemodialysis machine</i>		
278	<i>Low Flux Dialyzer</i>			
	<i>Size</i>	<i>surface area 1.8-1.9 m², UF coeff 12.3-18 ml/hr/mmHg²,</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
	<i>Compatibility</i>	<i>must be compatible with 4008s hemodialysis machine.</i>		
279	<i>High Flux Dialyzer</i>			
	<i>Size</i>	<i>effective surface area 1.5 - 1.8 m², UF coeff 52-67 ml/hr/mmHg²</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
	<i>Compatibility</i>	<i>must be compatible with 4008s hemodialysis machine</i>		
280	<i>Thermochemical Disinfectant</i>			
	<i>Usage</i>	<i>for heat disinfection of hemodialysis machines</i>		
	<i>Contents</i>	<i>each 100g of disinfectant contains 21g citric acid 1-hydrate, 5 liters per container,</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration</i>		
	<i>Compatibility</i>	<i>must be compatible with 4008s hemodialysis machine</i>		



281	Hemofusion cartridge (sepsis)			
	<i>Usage</i>	<i>for removal of inflammatory mediators</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration.</i>		
	<i>Compatibility</i>	<i>Must be compatible with 4008s Hemodialysis Machine.</i>		
282	Hemoperfusion cartridge			
	<i>Usage</i>	<i>for Chronic Kidney Disease</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration.</i>		
	<i>Compatibility</i>	<i>must be compatible with 4008s hemodialysis</i>		
283	Povidone Iodine Prep Pads			
	<i>Description</i>	<i>antiseptic</i>		
	<i>Packaging</i>	<i>individually-wrapped, 100's per box</i>		
	<i>Size</i>	<i>2"×2" size every pad</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration.</i>		
284	Industrial Salt			
	<i>Description</i>	<i>high sodium chloride content, chunky crystals, low impurities, reliable supply</i>		
	<i>Size</i>	<i>50 kg</i>		
	<i>Packaging</i>	<i>4 packs of 12.5 kg per sack</i>		
285	Disinfecting Agent			
	<i>Usage</i>	<i>for hemodialysis based on hydrogen peroxide and peroxyacetic acid mixture</i>		



	<i>Contents</i>	<i>stabilized 5.1 and 8 II, 5 kilogram, cold sterilant, At least 5 liters per container</i>		
	<i>Shelf-life</i>	<i>with at least 24 months expiration.</i>		
	<i>Compatibility</i>	<i>must be compatible with 4008s hemodialysis machine</i>		
286	Sodium hypochlorite			
	<i>Description</i>	<i>bleaching agent for disinfection</i>		
	<i>Content</i>	<i>at least 5.2% per 1 gal</i>		
287	FIRM PADDING/HEAD IMMOBILIZATION DEVICE (ADULT)			
	<i>Size</i>	<i>ADULT</i>		
	<i>Description & Features</i>	<i>Weight 4.5 kg side head supports, such as a rolled blanket or head blocks (head immobilizer) made specifically for this purpose, used to avoid the lateral rotation of the head; straps to secure the patient to the long spine board, and tape to secure the head.</i>		
288	FIRM PADDING/HEAD IMMOBILIZATION DEVICE (PEDIA)			
	<i>Size</i>	<i>PEDIA</i>		
	<i>Description & Features</i>	<i>The Head Immobilizer has no metal components and can be worn during x-rays, MRI and CT scan It's waterproof and buoyant, so it can be used for water rescues. It can easily be cleaned and disinfected for reuse. Color – Blue Set-with straps, base & pillows.</i>		



289	JOINT ABOVE AND BELOW FRACTURE IMMOBILIZATION DEVICE			
	<i>Weight</i>	<i>1 kg</i>		
	<i>Injury Support Area</i>	<i>Knees, Ankles, Wrists, Elbows, and Shoulders</i> <i>* FRACTURE SPLINT SUPPORT SET</i>		
290	LOWER EXTREMITY TRACTION DEVICE (ADULT)			
	<i>Size</i>	<i>ADULT</i>		
	<i>Description & Features</i>	<i>A traction splint most commonly refers to a splinting device that uses straps attaching over the pelvis or hip as an anchor, a metal rod(s) to mimic normal bone stability and limb length, and a mechanical device to apply traction (used in an attempt to reduce pain, realign the limb, and minimize vascular and neurological complication)to the limb.</i>		
	<i>Weight</i>	<i>3 kg</i>		
	<i>Injury Support Area</i>	<i>Legs</i>		
291	LOWER EXTREMITY TRACTION DEVICE (PEDIA)			
	<i>Size</i>	<i>PEDIA</i>		
	<i>Description & Features</i>	<i>A traction splint most commonly refers to a splinting device that uses straps</i>		



		<i>attaching over the pelvis or hip as an anchor, a metal rod(s) to mimic normal bone stability and limb length, and a mechanical device to apply traction (used in an attempt to reduce pain, realign the limb, and minimize vascular and neurological complication)to the limb.</i>		
	<i>Weight</i>	<i>3 kg</i>		
	<i>Injury Support Area</i>	<i>Legs</i>		
292	RIGID-SUPPORT APPROPRIATE MATERIAL			
		<i>Support the injured limb above and below the suspected break. Have the splint placed along the long axis of the limb. Feel for a pulse before attaching the Velcro straps. Attach the Velcro straps and support the limb for transport. Recheck the pulse on the injured limb. Transport the patient to medical care.</i>		
	<i>Weight</i>	<i>15kg</i>		
293	ORTHOPEDIC (SCOOP) STRETCHER			
	<i>Material</i>	<i>It is made of high-strength aluminum alloy materials.</i>		
	<i>Description</i>	<i>It is characterised by its being light-weighted, small-sized, easy-carried, use-safely and easy for sterilization and clean.</i>		
	<i>Usage</i>	<i>It's mainly used for hospitals, sports, ambulance carrying patients and wounded person.</i>		



	<i>Specifications</i>	<i>Unfolded Size: 214×42×7cm</i> <i>Folded Size: 167x42x7cm</i> <i>Self-Weight: 8kg</i> <i>Load Bearing: 159kg</i> <i>Packing Size: 170x43x8cm</i> <i>Packing Weight: 11kg</i>		
294	MEDICINE KIT BOX FOR CONTROLLED DRUGS			
	<i>Inclusions</i>	<i>W/ 2 Org. & Bit Holder</i>		
	<i>Size (Inch)</i>	<i>16 Inch</i>		
	<i>Type Of Product</i>	<i>Plastic Tool Box</i>		
	<i>Dimension (LxWxH)</i>	<i>410x254x183MM</i>		
295	STERILE DELIVERY KIT/OB KIT			
	<i>Contents</i>	<i>3 pcs Under pads</i> <i>3 pcs Lap Sponge 8x12</i> <i>1 pack Cotton Balls 25's</i> <i>1 pc Mayo Scissor</i> <i>1 pc Bandage Scissor</i> <i>1 pc Thumb forceps</i> <i>20 pcs Alcohol Pads</i> <i>1 Bottle Hydrogen Peroxide</i> <i>60ml</i> <i>1 Bottle Povidone Iodine 60ml</i> <i>1 Bottle Alcohol 60ml</i> <i>1 Roll Non-woven Tape 1"</i> <i>5 pcs Lubricating Jelly</i> <i>5grams</i> <i>5 pcs Cotton Applicator</i> <i>2 pair Surgical Gloves, size</i> <i>7.0 / 7.5</i> <i>5 pcs Face Mask</i> <i>2 pcs Cord Clamp</i> <i>1 pc Nasal Aspirator</i> <i>2 pcs Towel</i> <i>2 pair Examination Gloves</i> <i>1 pc Sanitary Pad</i> <i>1 pc Scalpel</i> <i>1 pc Thermal Blanket</i>		



		<i>1 pc New Born Wrap 5 pc Gauze Pad 4x4 5 pc Gauze Pad 3x3 5 pc Gauze Pad 2x2</i>		
	<i>Expiration</i>	<i>At least 24 moths</i>		
296	AIRWAY			
	<i>Size</i>	<i>SIZE #00</i>		
	<i>Description Features</i> &	<i>An oropharyngeal airway is a medical device called an airway adjunct used to maintain or open a patient's airway. It does this by preventing the tongue from covering the epiglottis, which could prevent the person from breathing.</i>		
	<i>Expiration</i>	<i>At least 24 moths</i>		
297	AIRWAY			
	<i>Size</i>	<i>SIZE #0</i>		
	<i>Description Features</i> &	<i>An oropharyngeal airway is a medical device called an airway adjunct used to maintain or open a patient's airway. It does this by preventing the tongue from covering the epiglottis, which could prevent the person from breathing.</i>		
	<i>Expiration</i>	<i>At least 24 moths</i>		
298	PARAMEDIC SCISSORS			
	<i>Material</i>	<i>Premium-grade stainless steel with precision sharpness.</i>		
	<i>Description Features</i> &	<i>Enhanced serrated lower edge cuts through the toughest materials. Clothing-lift lip</i>		



		<i>and rounded tip for ultimate patient safety. Soft-grip, non-slip contoured handles for maximum control even when wet.</i>		
	<i>Color</i>	<i>Unique all-over black color. Includes an O2 wrench.</i>		
	<i>Dimensions:</i>	<i>L 7.25 in. x W 3.7 in. x D 0.4 in.</i>		
299	STERILE DRESSING			
	<i>Size</i>	<i>10"X30"</i>		
	<i>Description & Features</i>	<i>This multi-purpose Trauma Dressing offers great absorbency, protection and padding to wound sites. This Trauma Dressing features a moisture-resistant barrier and is ideal for covering large wounds.</i>		
	<i>Dressing Size</i>	<i>10" x 30". Dimensions: 13" H x 9" W x .5" D (packaged).</i>		
	<i>Weight</i>	<i>2 oz</i>		
	<i>Expiration</i>	<i>At least 24 months</i>		
300	STERILE BURN SHEET			
	<i>Size</i>	<i>40"x90"</i>		
	<i>Description & Features</i>	<i>Is used to cover the skin of burn victims to prevent further trauma until additional medical help arrives. Used by first responders to prevent contamination to burn areas. Sterile burn sheet is packed in an airtight poly pack</i>		
301	STERILE OCCLUSIVE DRESSING			



	<i>Size</i>	<i>8" X 8"</i>		
	<i>Description & Features</i>	<i>Dimension: 26cm x 4cm x 235cm.</i>		
		<i>Dressing is indicated for use on dermal ulcers including full-thickness wounds, pressure ulcers (Stage II-IV), leg ulcers, superficial wounds, partial thickness burns and donor sites.</i>		
	<i>Expiration</i>	<i>At least 24 months</i>		
302	<i>ABDOMINAL STERILE DRESSING</i>			
	<i>Size</i>	<i>12"X30"</i>		
	<i>WOUND PROTECTION Features</i>	<i>This dressing protects wounds and prevent infections while allowing the injury to heal. This dressing may be used to control bleeding from a major wound or to absorb any discharge from a minor wound.</i>		
	<i>STERILE AND ABSORBENT Features</i>	<i>Sterile, absorbent 12" x 30" multi-trauma dressing is ideal for stopping bleeding associated with deep lacerations, abrasions, burns, penetration wounds and fractures.</i>		
	<i>LARGE AREA COVERAGE Features</i>	<i>Multi-layered absorbent pad opens to 12 x 30-inch for dressing larger areas such as back, chest or head. Protects and cushions lacerations, abrasions.</i>		
	<i>Expiration</i>	<i>At least 24 months</i>		
CONFORME:				
(Company Name)				
(Name and Signature of Authorized Representative)				