

## REPUBLIC OF THE PHILIPPINES Department Of Health



## National Center for Mental Health

## LIST OF ITEMS FOR PUBLIC BIDDING CY2023 SUPPLY, DELIVERY, INSTALLATION, COMMISSIONING AND TESTING OF PHYSICAL THERAPY EQUIPMENT

NO	CODE	ITEM DESCRIPTION	QTY	UNIT OF MEASURE	UNIT PRICE	TOTAL PRICE
1	PTE23-01	THERAPEUTIC ULTRASOUND MACHINE	2	unit	165,000.00	330,000.00
		Specifications:  1. 110-240VAC 2. With 1, 5, and 10cm2 applicator heads 3. 1 and 3 MHz 4. Continuous/pulsed mode 5. 100 Hz modulation frequency 6. Rechargeable battery  Standard Requirements: 1. Certification that the unit being offered shall be brand new. 2. Certification of exclusive or authorized distribution from the manufacturer. 3. Certification that the supplier/bidder shall provide applications training for user and maintenance personnel of the hospital. 4. Certification that the supplier/bidder shall be responsible for the transportation to site, delivery, installation and testing on the site, and expenses for such will be on the account of the supplier/bidder. 5. Certification that the supplier/bidder has the capability for the corrective and preventive maintenance of the unit, to include service engineers and technicians. 6. Certification to provide user's manual in English language - (operations manual 2 copies). 7. Bidder's certification that parts shall be available at the authorized service center/s for a period of 3 yrs after the warranty period. 8. Certification that the supplier shall provide free installation of the equipment.				





		<ol> <li>Warranty certificate 1 year of parts and two years for service from date of delivery, inspection and acceptance.</li> <li>Certification that the brand has been in the local market for at least two years with at least one (1) installation of the equipment in the local market.</li> <li>Delivery period - 90 calendar days.</li> <li>Current and valid certificate of manufacturer's compliance with ISO and/ or CE Certificate or its equivalent.</li> </ol> Installation site: PT Rehab Unit.				
2	PTE23-02	LUMBAR TRACTION MACHINE	1	unit	550,000.00	550,000.00
		1. With Split traction bed: 110- 240VAC 2. 1-99mins traction period 3. 0-99secs hold and rest period 4. 0-200lb traction force 5. With patient interruption switch 6. Foot stool 7. Lumbar and chest harness 8. Spreader bar  Standard Requirements: 1. Certification that the unit being offered shall be brand new. 2. Certification of exclusive or authorized distribution from the manufacturer. 3. Certification that the supplier/bidder shall provide applications training for user and maintenance personnel of the hospital. 4. Certification that the supplier/bidder shall be responsible for the transportation to site, delivery, installation and testing on the site, and expenses for such will be on the account of the supplier/bidder. 5. Certification that the supplier/bidder has the capability for the corrective and preventive maintenance of the unit, to include service engineers and technicians.				

		<ol> <li>Certification to provide user's manual in English language - (operations manual 2 copies and Service manual 2 copies).</li> <li>Bidder's certification that parts shall be available at the authorized service center/s for a period of 3 yrs after the warranty period.</li> <li>Certification that the supplier shall provide free installation of the equipment.</li> <li>Warranty certificate 1 year of parts and two years for service from date of delivery, inspection and acceptance.</li> <li>Certification that the brand has been in the local market for at least two years with at least one (1) installation of the equipment in the local market.</li> <li>Delivery period - 90 calendar days.</li> <li>Current and valid certificate of manufacturer's compliance with ISO and/ or CE Certificate or its equivalent.</li> </ol> Installation site: PT Rehab Unit.				
3	PTE23-03	PARALLEL BARS  Specifications:  1. 10 ft (Length)  2. Adjustable Width and Height: 15" – 28" (Width), 29" – 42" (Height)  3. With wooden base  4. Non-slip matting  5. Portable  6. Heavy duty	1	unit	65,000.00	65,000.00
		<ol> <li>Standard Requirements:         <ol> <li>Certification that the unit being offered shall be brand new.</li> <li>Certification of exclusive or authorized distribution from the manufacturer.</li> <li>Certification that the supplier/bidder shall provide applications training for user and maintenance personnel of the hospital.</li> </ol> </li> <li>Certification that the supplier/bidder shall be responsible for the transportation to site, delivery,</li> </ol>				

and expenses for such will be on the account of the supplier/ bidder.  5. Certification that the supplier/ bidder has the capability for the corrective and preventive maintenance of the unit, to include service engineers and technicians.  6. Certification to provide user's manual in English language (operations manual 2 copies).  7. Bidder's certification that parts shall be available at the authorized service center's for a period of 3 yrs after the warranty period.  8. Certification that the supplier shall provide free installation of the equipment.  9. Warranty certificate 1 year of parts and two years for service from date of delivery, inspection and acceptance.  10. Certification that the brand has been in the local market for at least two years with at least one (1) installation of the equipment in the local market.  11. Delivery period - 90 calendar days.  12. Current and valid certificate of manufacturer's compliance with ISO and/ or Ce Certificate or its equivalent.  Installation site: PT Rehab Unit.  4 PTE23-04  TREADMILL WITH VARIABLE RESPONSE CUSHIONING  Specifications:  1. 55" x 20" running area  2. variable response cushioning  3. 0.8-18kph speed  4. 0-10% incline range  5. 300lbs max load  6. LCD console display  Standard Requirements:  1. Certification that the unit being offered shall be brand new.			1					_
the account of the supplier/ bidder.  5. Certification that the supplier/ bidder has the capability for the corrective and preventive maintenance of the unit, to include service engineers and technicians.  6. Certification to provide user's manual in English language (operations manual 2 copies and Service manual 2 copies and Service manual 2 copies, and Service from date of delivery, inspection and acceptance, and two years for service from date of delivery, inspection and acceptance, and two years with at least one (1) installation of the equipment in the local market.  10. Certification that the brand has been in the local market for at least two years with at least one (1) installation of the equipment in the local market.  11. Delivery period - 90 calendar days. 12. Current and valid certificate of manufacturer's compliance with ISO and/ or CE Certificate or its equivalent.  Installation site: PT Rehab Unit.  12. TREADMILL WITH VARIABLE REPONSE CUSHIONING  13. 0.8-18kph speed 14. 0-10% incline range 15. 300lbs max load 16. LCD console display  18. Standard Requirements: 17. Certification that the unit being offered shall be brand new.			installation and testing on the site,					
5. Certification that the supplier/ bidder has the capability for the corrective and preventive maintenance of the unit, to include service engineers and technicians. 6. Certification to provide user's manual in English language - (operations manual 2 copies and Service manual 2 copies). 7. Bidder's certification that parts shall be available at the authorized service center/s for a period of 3 yrs after the warranty period. 8. Certification that the supplier shall provide free installation of the equipment. 9. Warranty certificate 1 year of parts and two years for service from date of delivery, inspection and acceptance. 10. Certification that the brand has been in the local market for at least two years with at least one (1) installation of the equipment in the local market. 11. Delivery period - 90 calendar days. 12. Current and valid certificate of manufacturer's compliance with ISO and/ or CE Certificate or its equivalent.  Installation site: PT Rehab Unit.  4 PTE23-04  TREADMILL WITH VARIABLE RESPONSE CUSHIONING  Specifications: 1. 55" x 20" running area 2. variable response cushioning 3. 0.8-18kph speed 4. 0-10% incline range 5. 300lbs max load 6. LCD console display  Standard Requirements: 1. Certification that the unit being offered shall be brand new.								
bidder has the capability for the corrective and preventive maintenance of the unit, to include service engineers and technicians. 6. Certification to provide user's manual in English language (operations manual 2 copies and Service manual 2 copies and Service manual 2 copies). 7. Bidder's certification that parts shall be available at the authorized service center/s for a period of 3 yrs after the warranty period. 8. Certification that the supplier shall provide free installation of the equipment. 9. Warranty certificate 1 year of parts and two years for service from date of delivery, inspection and acceptance. 10. Certification that the brand has been in the local market for at least two years with at least one (1) installation of the equipment in the local market. 11. Delivery period - 90 calendar days. 12. Current and valid certificate of manufacturer's compliance with ISO and/ or CE Certificate or its equivalent. Installation site: PT Rehab Unit.  4 PTE23-04 TREADMILL WITH VARIABLE RESPONSE CUSHIONING  Specifications: 1. 55" x 20" running area 2. variable response cushioning 3. 0.8-18kph speed 4. 0-10% incline range 5. 300lbs max load 6. LCD console display  Standard Requirements: 1. Certification that the unit being offered shall be brand new.			· ·					
corrective and preventive maintenance of the unit, to include service engineers and technicians. 6. Certification to provide user's manual in English language - (operations manual 2 copies and Service manual 2 copies). 7. Bidder's certification that parts shall be available at the authorized service center/s for a period of 3 yrs after the warranty period of 4 yrs and two years for service from date of delivery, inspection and acceptance. 9. Warranty certificate 1 year of parts and two years for service from date of delivery, inspection and acceptance. 10. Certification that the brand has been in the local market, 11. Delivery period - 90 calendar days. 12. Current and valid certificate of manufacturer's compliance with ISO and/ or CE Certificate or its equivalent.  Installation site: PT Rehab Unit.  4 PTE23-04  TREADMILL WITH VARIABLE RESPONSE CUSHIONING  Specifications: 1. 55" x 20" running area 2. variable response cushioning 3. 0.8-18kph speed 4. 0-10% incline range 5. 300lbs max load 6. LCD console display  Standard Requirements: 1. Certification that the unit being offered shall be brand new.								
maintenance of the unit, to include service engineers and technicians. 6. Certification to provide user's manual in English language - (operations manual 2 copies and Service manual 2 copies and Service manual 2 copies). 7. Bidder's certification that parts shall be available at the authorized service center/s for a period of 3 yrs after the warranty period. 8. Certification that the supplier shall provide free installation of the equipment. 9. Warranty certificate 1 year of parts and two years for service from date of delivery, inspection and acceptance. 10. Certification that the brand has been in the local market for at least two years with at least one (1) installation of the equipment in the local market. 11. Delivery period - 90 calendar days. 12. Current and valid certificate of manufacturer's compliance with ISO and/ or CE Certificate or its equivalent.  Installation site: PT Rehab Unit.  4 PTE23-04  TREADMILL WITH VARIABLE RESPONSE CUSHIONING  Specifications: 1. 55° x 20° running area 2. variable response cushioning 3. 0.8-18kph speed 4. 0-10% incline range 5. 300lbs max load 6. LCD console display  Standard Requirements: 1. Certification that the unit being offered shall be brand new.								
service engineers and technicians. 6. Certification to provide user's manual in English language - (operations manual 2 copies and Service manual 2 copies and Service manual 2 copies) 7. Bidder's certification that parts shall be available at the authorized service center/s for a period of 3 yrs after the warranty period. 8. Certification that the supplier shall provide free installation of the equipment. 9. Warranty certificate 1 year of parts and two years for service from date of delivery, inspection and acceptance. 10. Certification that the brand has been in the local market for at least two years with at least one (1) installation of the equipment in the local market. 11. Delivery period - 90 calendar days. 12. Current and valid certificate of manufacturer's compliance with ISO and/ or CE Certificate or its equivalent.  Installation site: PT Rehab Unit.  4 PTE23-04  TREADMILL WITH VARIABLE RESPONSE CUSHIONING Specifications: 1. 55" x 20" running area 2. variable response cushioning 3. 0.8-18kph speed 4. 0-10% incline range 5. 300lbs max load 6. LCD console display  Standard Requirements: 1. Certification that the unit being offered shall be brand new.								
6. Certification to provide user's manual in English language - (operations manual 2 copies and Service manual 2 copies and Service manual 2 copies).  7. Bidder's certification that parts shall be available at the authorized service center/s for a period of 3 yrs after the warranty period.  8. Certification that the supplier shall provide free installation of the equipment.  9. Warranty certificate 1 year of parts and two years for service from date of delivery, inspection and acceptance.  10. Certification that the brand has been in the local market for at least two years with at least one (1) installation of the equipment in the local market.  11. Delivery period - 90 calendar days.  12. Current and valid certificate of manufacturer's compliance with ISO and/ or CE Certificate or its equivalent.  Installation site: PT Rehab Unit.  4 PTE23-04  TREADMILL WITH VARIABLE RESPONSE CUSHIDNING  Specifications:  1. 55" x 20" running area  2. variable response cushioning  3. 0.8-18kph speed  4. 0-10% incline range  5. 300lbs max load  6. LCD console display  Standard Requirements:  1. Certification that the unit being offered shall be brand new.								
manual in English language - (operations manual 2 copies and Service manual 2 copies).  7. Bidder's certification that parts shall be available at the authorized service center/s for a period of 3 yrs after the warranty period.  8. Certification that the supplier shall provide free installation of the equipment.  9. Warranty certificate 1 year of parts and two years for service from date of delivery, inspection and acceptance.  10. Certification that the brand has been in the local market for at least two years with at least one (1) installation of the equipment in the local market.  11. Delivery period - 90 calendar days. 12. Current and valid certificate of manufacturer's compliance with ISO and/ or CE Certificate or its equivalent.  Installation site: PT Rehab Unit.  4 PTE23-04 TREADMILL WITH VARIABLE RESPONSE CUSHIONING  Specifications:  1. 55" x 20" running area 2. variable response cushioning 3. 0.8-18kph speed 4. 0-10% incline range 5. 300lbs max load 6. LCD console display  Standard Requirements: 1. Certification that the unit being offered shall be brand new.								
(operations manual 2 copies and Service manual 2 copies). 7. Bidder's certification that parts shall be available at the authorized service center's for a period of 3 yrs after the warranty period. 8. Certification that the supplier shall provide free installation of the equipment. 9. Warranty certificate 1 year of parts and two years for service from date of delivery, inspection and acceptance. 10. Certification that the brand has been in the local market for at least two years with at least one (1) installation of the equipment in the local market. 11. Delivery period - 90 calendar days. 12. Current and valid certificate of manufacturer's compliance with ISO and/ or CE Certificate or its equivalent.  Installation site: PT Rehab Unit.  4 PTE23-04 TREADMILL WITH VARIABLE RESPONSE CUSHIONING  Specifications: 1. 55" x 20" running area 2. variable response cushioning 3. 0.8-18kph speed 4. 0-10% incline range 5. 300lbs max load 6. LCD console display  Standard Requirements: 1. Certification that the unit being offered shall be brand new.								
Service manual 2 copies).  7. Bidder's certification that parts shall be available at the authorized service center/s for a period of 3 yrs after the warranty period.  8. Certification that the supplier shall provide free installation of the equipment.  9. Warranty certificate 1 year of parts and two years for service from date of delivery, inspection and acceptance.  10. Certification that the brand has been in the local market for at least two years with at least one (1) installation of the equipment in the local market.  11. Delivery period - 90 calendar days. 12. Current and valid certificate of manufacturer's compliance with ISO and/ or CE Certificate or its equivalent.  Installation site: PT Rehab Unit.  Installation site: PT Rehab Unit.  4 PTE23-04 TREADMILL WITH VARIABLE RESPONSE CUSHIONING  5 pecifications:  1. 55" x 20" running area 2. variable response cushioning 3. 0.8-18kph speed 4. 0-10% incline range 5. 300lbs max load 6. LCD console display  Standard Requirements: 1. Certification that the unit being offered shall be brand new.								
7. Bidder's certification that parts shall be available at the authorized service center/s for a period of 3 yrs after the warranty period.  8. Certification that the supplier shall provide free installation of the equipment.  9. Warranty certificate 1 year of parts and two years for service from date of delivery, inspection and acceptance.  10. Certification that the brand has been in the local market for at least two years with at least one (1) installation of the equipment in the local market.  11. Delivery period - 90 calendar days. 12. Current and valid certificate of manufacturer's compliance with ISO and/ or CE Certificate or its equivalent.  Installation site: PT Rehab Unit.  4 PTE23-04 TREADMILL WITH VARIABLE RESPONSE CUSHIONING  5 year in the proper of								
be available at the authorized service center/s for a period of 3 yrs after the warranty period.  8. Certification that the supplier shall provide free installation of the equipment.  9. Warranty certificate 1 year of parts and two years for service from date of delivery, inspection and acceptance.  10. Certification that the brand has been in the local market for at least two years with at least one (1) installation of the equipment in the local market.  11. Delivery period - 90 calendar days. 12. Current and valid certificate of manufacturer's compliance with ISO and/ or CE Certificate or its equivalent.  Installation site: PT Rehab Unit.  4 PTE23-04 TREADMILL WITH VARIABLE RESPONSE CUSHIONING  Specifications:  1. 55" x 20" running area 2. variable response cushioning 3. 0.8-18kph speed 4. 0-10% incline range 5. 300lbs max load 6. LCD console display  Standard Requirements: 1. Certification that the unit being offered shall be brand new.								
service center/s for a period of 3 yrs after the warranty period. 8. Certification that the supplier shall provide free installation of the equipment. 9. Warranty certificate 1 year of parts and two years for service from date of delivery, inspection and acceptance. 10. Certification that the brand has been in the local market for at least two years with at least one (1) installation of the equipment in the local market. 11. Delivery period - 90 calendar days. 12. Current and valid certificate of manufacturer's compliance with ISO and/ or CE Certificate or its equivalent.  Installation site: PT Rehab Unit.  TREADMILL WITH VARIABLE RESPONSE CUSHIONING  Specifications: 1. 55" x 20" running area 2. variable response cushioning 3. 0.8-18kph speed 4. 0-10% incline range 5. 300lbs max load 6. LCD console display  Standard Requirements: 1. Certification that the unit being offered shall be brand new.			· ·					
yrs after the warranty period. 8. Certification that the supplier shall provide free installation of the equipment. 9. Warranty certificate 1 year of parts and two years for service from date of delivery, inspection and acceptance. 10. Certification that the brand has been in the local market for at least two years with at least one (1) installation of the equipment in the local market. 11. Delivery period - 90 calendar days. 12. Current and valid certificate of manufacturer's compliance with ISO and/ or CE Certificate or its equivalent.  Installation site: PT Rehab Unit.  TREADMILL WITH VARIABLE RESPONSE CUSHIONING  Specifications: 1. 55" x 20" running area 2. variable response cushioning 3. 0.8-18kph speed 4. 0-10% incline range 5. 300lbs max load 6. LCD console display  Standard Requirements: 1. Certification that the unit being offered shall be brand new.								
8. Certification that the supplier shall provide free installation of the equipment.  9. Warranty certificate 1 year of parts and two years for service from date of delivery, inspection and acceptance.  10. Certification that the brand has been in the local market for at least two years with at least one (1) installation of the equipment in the local market.  11. Delivery period - 90 calendar days. 12. Current and valid certificate of manufacturer's compliance with ISO and/ or CE Certificate or its equivalent.  Installation site: PT Rehab Unit.  TREADMILL WITH VARIABLE RESPONSE CUSHIONING  Specifications:  1. 55" x 20" running area 2. variable response cushioning 3. 0.8-18kph speed 4. 0-10% incline range 5. 300lbs max load 6. LCD console display  Standard Requirements: 1. Certification that the unit being offered shall be brand new.								
provide free installation of the equipment.  9. Warranty certificate 1 year of parts and two years for service from date of delivery, inspection and acceptance.  10. Certification that the brand has been in the local market for at least two years with at least one (1) installation of the equipment in the local market.  11. Delivery period - 90 calendar days. 12. Current and valid certificate of manufacturer's compliance with ISO and/ or CE Certificate or its equivalent.  Installation site: PT Rehab Unit.  Installation site: PT Rehab Unit.  TREADMILL WITH VARIABLE RESPONSE CUSHIONING  Specifications: 1. 55" x 20" running area 2. variable response cushioning 3. 0.8-18kph speed 4. 0-10% incline range 5. 300lbs max load 6. LCD console display  Standard Requirements: 1. Certification that the unit being offered shall be brand new.								
equipment.  9. Warranty certificate 1 year of parts and two years for service from date of delivery, inspection and acceptance.  10. Certification that the brand has been in the local market for at least two years with at least one (1) installation of the equipment in the local market.  11. Delivery period - 90 calendar days. 12. Current and valid certificate of manufacturer's compliance with ISO and/ or CE Certificate or its equivalent.  Installation site: PT Rehab Unit.  4 PTE23-04 TREADMILL WITH VARIABLE RESPONSE CUSHIONING  5 yecifications: 1. 55" x 20" running area 2. variable response cushioning 3. 0.8-18kph speed 4. 0-10% incline range 5. 300lbs max load 6. LCD console display  Standard Requirements: 1. Certification that the unit being offered shall be brand new.								
9. Warranty certificate 1 year of parts and two years for service from date of delivery, inspection and acceptance.  10. Certification that the brand has been in the local market for at least two years with at least one (1) installation of the equipment in the local market.  11. Delivery period - 90 calendar days. 12. Current and valid certificate of manufacturer's compliance with ISO and/ or CE Certificate or its equivalent.  Installation site: PT Rehab Unit.  Installation site: PT Rehab Unit.  TREADMILL WITH VARIABLE RESPONSE CUSHIONING  9 pecifications: 1. 55" x 20" running area 2. variable response cushioning 3. 0.8-18kph speed 4. 0-10% incline range 5. 300lbs max load 6. LCD console display  Standard Requirements: 1. Certification that the unit being offered shall be brand new.								
and two years for service from date of delivery, inspection and acceptance.  10. Certification that the brand has been in the local market for at least two years with at least one (1) installation of the equipment in the local market.  11. Delivery period - 90 calendar days. 12. Current and valid certificate of manufacturer's compliance with ISO and/ or CE Certificate or its equivalent.  Installation site: PT Rehab Unit.  Installation site: PT Rehab Unit.  4 PTE23-04 TREADMILL WITH VARIABLE RESPONSE CUSHIONING  Specifications: 1. 55" x 20" running area 2. variable response cushioning 3. 0.8-18kph speed 4. 0-10% incline range 5. 300lbs max load 6. LCD console display  Standard Requirements: 1. Certification that the unit being offered shall be brand new.			Marine decorated to the world that the control of t					
of delivery, inspection and acceptance.  10. Certification that the brand has been in the local market for at least two years with at least one (1) installation of the equipment in the local market.  11. Delivery period - 90 calendar days. 12. Current and valid certificate of manufacturer's compliance with ISO and/ or CE Certificate or its equivalent.  Installation site: PT Rehab Unit.  Installation site: PT Rehab Unit.  TREADMILL WITH VARIABLE RESPONSE CUSHIONING  Specifications:  1. 55" x 20" running area 2. variable response cushioning 3. 0.8-18kph speed 4. 0-10% incline range 5. 300lbs max load 6. LCD console display  Standard Requirements: 1. Certification that the unit being offered shall be brand new.								
acceptance.  10. Certification that the brand has been in the local market for at least two years with at least one (1) installation of the equipment in the local market.  11. Delivery period - 90 calendar days. 12. Current and valid certificate of manufacturer's compliance with ISO and/ or CE Certificate or its equivalent.  Installation site: PT Rehab Unit.  TREADMILL WITH VARIABLE RESPONSE CUSHIONING  Specifications:  1. 55" x 20" running area 2. variable response cushioning 3. 0.8-18kph speed 4. 0-10% incline range 5. 300lbs max load 6. LCD console display  Standard Requirements: 1. Certification that the unit being offered shall be brand new.			And the second s					
10. Certification that the brand has been in the local market for at least two years with at least one (1) installation of the equipment in the local market.  11. Delivery period - 90 calendar days. 12. Current and valid certificate of manufacturer's compliance with ISO and/ or CE Certificate or its equivalent.  Installation site: PT Rehab Unit.  Installation site: PT Rehab Unit.  4 PTE23-04 TREADMILL WITH VARIABLE RESPONSE CUSHIONING  Specifications: 1. 55" x 20" running area 2. variable response cushioning 3. 0.8-18kph speed 4. 0-10% incline range 5. 300lbs max load 6. LCD console display  Standard Requirements: 1. Certification that the unit being offered shall be brand new.			1500					
been in the local market for at least two years with at least one (1) installation of the equipment in the local market.  11. Delivery period - 90 calendar days. 12. Current and valid certificate of manufacturer's compliance with ISO and/ or CE Certificate or its equivalent.  Installation site: PT Rehab Unit.  Installation site: PT Rehab Unit.  Installation site: PT Rehab Unit.  TREADMILL WITH VARIABLE RESPONSE CUSHIONING  Specifications: 1. 55" x 20" running area 2. variable response cushioning 3. 0.8-18kph speed 4. 0-10% incline range 5. 300lbs max load 6. LCD console display  Standard Requirements: 1. Certification that the unit being offered shall be brand new.								
installation of the equipment in the local market.  11. Delivery period - 90 calendar days. 12. Current and valid certificate of manufacturer's compliance with ISO and/ or CE Certificate or its equivalent.  Installation site: PT Rehab Unit.  TREADMILL WITH VARIABLE RESPONSE CUSHIONING  Specifications:  1. 55" x 20" running area 2. variable response cushioning 3. 0.8-18kph speed 4. 0-10% incline range 5. 300lbs max load 6. LCD console display  Standard Requirements:  1. Certification that the unit being offered shall be brand new.								
installation of the equipment in the local market.  11. Delivery period - 90 calendar days. 12. Current and valid certificate of manufacturer's compliance with ISO and/ or CE Certificate or its equivalent.  Installation site: PT Rehab Unit.  TREADMILL WITH VARIABLE RESPONSE CUSHIONING  Specifications:  1. 55" x 20" running area 2. variable response cushioning 3. 0.8-18kph speed 4. 0-10% incline range 5. 300lbs max load 6. LCD console display  Standard Requirements:  1. Certification that the unit being offered shall be brand new.			ACCUPATION OF THE PROPERTY OF					
local market.  11. Delivery period - 90 calendar days. 12. Current and valid certificate of manufacturer's compliance with ISO and/ or CE Certificate or its equivalent.  Installation site: PT Rehab Unit.  4 PTE23-04 TREADMILL WITH VARIABLE RESPONSE CUSHIONING  5pecifications: 1. 55" x 20" running area 2. variable response cushioning 3. 0.8-18kph speed 4. 0-10% incline range 5. 300lbs max load 6. LCD console display  Standard Requirements: 1. Certification that the unit being offered shall be brand new.								
12. Current and valid certificate of manufacturer's compliance with ISO and/ or CE Certificate or its equivalent.  Installation site: PT Rehab Unit.  TREADMILL WITH VARIABLE RESPONSE CUSHIONING  Specifications:  1. 55" x 20" running area 2. variable response cushioning 3. 0.8-18kph speed 4. 0-10% incline range 5. 300lbs max load 6. LCD console display  Standard Requirements:  1. Certification that the unit being offered shall be brand new.								
12. Current and valid certificate of manufacturer's compliance with ISO and/ or CE Certificate or its equivalent.  Installation site: PT Rehab Unit.  Installation site: PT Rehab Unit.  TREADMILL WITH VARIABLE RESPONSE CUSHIONING  Specifications:  1. 55" x 20" running area 2. variable response cushioning 3. 0.8-18kph speed 4. 0-10% incline range 5. 300lbs max load 6. LCD console display  Standard Requirements: 1. Certification that the unit being offered shall be brand new.			11. Delivery period - 90 calendar days.					
ISO and/ or CE Certificate or its equivalent.  Installation site: PT Rehab Unit.  TREADMILL WITH VARIABLE RESPONSE CUSHIONING  Specifications: 1. 55" x 20" running area 2. variable response cushioning 3. 0.8-18kph speed 4. 0-10% incline range 5. 300lbs max load 6. LCD console display  Standard Requirements: 1. Certification that the unit being offered shall be brand new.			12. Current and valid certificate of					
equivalent.  Installation site: PT Rehab Unit.  TREADMILL WITH VARIABLE RESPONSE CUSHIONING  Specifications:  1. 55" x 20" running area  2. variable response cushioning  3. 0.8-18kph speed  4. 0-10% incline range  5. 300lbs max load  6. LCD console display  Standard Requirements:  1. Certification that the unit being offered shall be brand new.			manufacturer's compliance with					
Installation site: PT Rehab Unit.  4 PTE23-04 TREADMILL WITH VARIABLE RESPONSE CUSHIONING  55,000.00  Specifications: 1. 55" x 20" running area 2. variable response cushioning 3. 0.8-18kph speed 4. 0-10% incline range 5. 300lbs max load 6. LCD console display  Standard Requirements: 1. Certification that the unit being offered shall be brand new.			ISO and/ or CE Certificate or its					
4 PTE23-04 TREADMILL WITH VARIABLE RESPONSE CUSHIONING  Specifications:  1. 55" x 20" running area 2. variable response cushioning 3. 0.8-18kph speed 4. 0-10% incline range 5. 300lbs max load 6. LCD console display  Standard Requirements:  1. Certification that the unit being offered shall be brand new.			equivalent.					
4 PTE23-04 TREADMILL WITH VARIABLE RESPONSE CUSHIONING  Specifications:  1. 55" x 20" running area 2. variable response cushioning 3. 0.8-18kph speed 4. 0-10% incline range 5. 300lbs max load 6. LCD console display  Standard Requirements:  1. Certification that the unit being offered shall be brand new.								
RESPONSE CUSHIONING  Specifications:  1. 55" x 20" running area 2. variable response cushioning 3. 0.8-18kph speed 4. 0-10% incline range 5. 300lbs max load 6. LCD console display  Standard Requirements:  1. Certification that the unit being offered shall be brand new.			Installation site: PT Rehab Unit.					
RESPONSE CUSHIONING  Specifications:  1. 55" x 20" running area 2. variable response cushioning 3. 0.8-18kph speed 4. 0-10% incline range 5. 300lbs max load 6. LCD console display  Standard Requirements:  1. Certification that the unit being offered shall be brand new.								
Specifications:  1. 55" x 20" running area 2. variable response cushioning 3. 0.8-18kph speed 4. 0-10% incline range 5. 300lbs max load 6. LCD console display  Standard Requirements: 1. Certification that the unit being offered shall be brand new.	4	DTE23-04						C. Carlo
1. 55" x 20" running area 2. variable response cushioning 3. 0.8-18kph speed 4. 0-10% incline range 5. 300lbs max load 6. LCD console display  Standard Requirements: 1. Certification that the unit being offered shall be brand new.		1 1225-04	RESPONSE CUSHIONING	1	unit	55,000.00	55,000.00	Manager of the last of the las
2. variable response cushioning 3. 0.8-18kph speed 4. 0-10% incline range 5. 300lbs max load 6. LCD console display  Standard Requirements: 1. Certification that the unit being offered shall be brand new.			Specifications:		- 1-m-			
3. 0.8-18kph speed 4. 0-10% incline range 5. 300lbs max load 6. LCD console display  Standard Requirements: 1. Certification that the unit being offered shall be brand new.								
4. 0-10% incline range 5. 300lbs max load 6. LCD console display  Standard Requirements: 1. Certification that the unit being offered shall be brand new.								
5. 300lbs max load 6. LCD console display  Standard Requirements: 1. Certification that the unit being offered shall be brand new.				1				
6. LCD console display  Standard Requirements:  1. Certification that the unit being offered shall be brand new.								
Standard Requirements:  1. Certification that the unit being offered shall be brand new.								
Certification that the unit being offered shall be brand new.			6. LCD console display					
Certification that the unit being offered shall be brand new.			Standard Barrier					
offered shall be brand new.								
2. Certification of exclusive or authorized distribution from the								
manufacturer.			CONTRACTOR OF THE CONTRACTOR O					
manufacturer.			manuraolurer.					

6. Heavy duty. Standard Requirements: 1. Certification that the unit being offered shall be brand new. 2. Certification of exclusive or authorized distribution from the manufacturer. 3. Certification that the supplier/ bidder shall provide applications training for user and maintenance personnel of the hospital. 4. Certification that the supplier/ bidder shall be responsible for the transportation to site, delivery, installation and testing on the site, and expenses for such will be on the account of the supplier/bidder. 5. Certification that the supplier/ bidder has the capability for the corrective and preventive maintenance of the unit, to include service engineers and technicians. 6. Certification to provide user's manual in English language -(operations manual 2 copies and Service manual 2 copies). 7. Bidder's certification that parts shall be available at the authorized service center/s for a period of 3 yrs after the warranty period. 8. Certification that the supplier shall provide free installation of the equipment. 9. Warranty certificate 1 year of parts and two years for service from date of delivery, inspection and acceptance. 10. Certification that the brand has been in the local market for at least two years with at least one (1) installation of the equipment in the local market. 11. Delivery period - 90 calendar days. 12. Current and valid certificate of manufacturer's compliance with ISO and/ or CE Certificate or its equivalent. Installation Site: PT Rehab Unit.

6 PTE23-06	TREADMILL	1	piece	65,000.00	65,000.00
	Specifications:  1. Heavy duty 2. 2 HP motor 3. Automatic type w/ auto safety key 4. Auto incline 5. Foldable for easy storage 6. Pre set training functions 7. Maximum user weight: 100- 30 lbs. 8. 1 to 2 years warranty to parts and services.				
	<ol> <li>Standard Requirements:         <ol></ol></li></ol>				

local market.  11. Delivery period - 90 calendar days.  12. Current and valid certificate of manufacturer's compliance with ISO and/ or CE Certificate or its equivalent.  Area to be used: Activity Rehabilitation Center.	TOTAL	
installation of the equipment in the		

Submitted by:

ALFREDO M. TORRES, OTRP

(End-User)

Recommending Approval:

ALDEN C. CUYOS, MD, FPPA, IFAPA, MMHoA Chairperson, BAC for Equipment CY2023

Approved by:

NOEL V. REYES, MD, FPPA, MMHoA

Medical Center Chief II