

Telephone No. 531-9001 loc. 239

Telefax No. 85318318

E-mail: bac.equipment@ncmh.gov.ph

Website: www.ncmh.gov.ph

RFQ No.: SVPE2025-05-002A

Supply, Delivery, Installation and Commissioning of Frameless Tempered Glass Partition with Double Swing Door for Office for Strategy Management at
Research and Development Building CY 2025 (LOT)

## REQUEST FOR QUOTATION

May 21, 2025

Company/Business Name:Address:	
Business/Mayor's Permit No.:	
ΓIN:	
PhilGEPS Registration Number:	

The National Center for Mental Health (NCMH), through its Bids and Awards Committee (BAC), intends to procure the Supply, Delivery, Installation and Commissioning of Frameless Tempered Glass Partition with Double Swing Door for Office of Strategy Management at Research and Development Building CY 2025 (LOT) through Section 53.9 (Negotiated Procurement – Small Value Procurement) of the 2016 Revised Implementing Rules and Regulations under Republic Act No. 9184.

Please quote your lowest price on the items herewith attached, subject to the General Conditions, and stating the shortest time of delivery. Submit your <u>sealed quotation</u> using this form duly signed by your authorized representative together with the documentary requirements **not later than** <u>May 27, 2025</u>, 4:00 PM. Kindly transact / address directly at the BAC Secretariat Office. For inquiries, you may call 8531-9001 local 239 or 8531-8318.

Respectfully yours

RUSSELLE SP. OLASO, MPA

human

Head, BAC Secretariat

Nueve de Febrero St., Brgy. Mauway, Mandaluyong City

Tel: (02) 8531-9001 loc. 239, 240, 242

Telefax: (02) 8531-8318

Email: <u>bacncmh@yahoo.com</u> Website: <u>www.ncmh.gov.ph</u>

You may also visit the following websites:

- www.philgeps.gov.ph for the PhilGEPS posting (access through your supplier/bidder account)
- https://ncmh.gov.ph National Center for Mental Health Official Website

Thank you and we look forward to your participation.

JERRY C. RODRIGUEZ, MGM-ESP Chairperson, NCMH-BAC for Equipment

#### **General Conditions:**

- 1. Bid offer must meet the minimum technical specifications.
- 2. Delivery period shall be within a maximum period of *fifteen (15) calendar days* upon receipt of approved Notice to Deliver (NTD)
- 3. Price validity and payment terms shall be for a minimum period of thirty (30) calendar days.
- 4. Documentary requirements:
  - a. Certified True Copy (CTC) of Mayor's / Business Permit (Attached Official Receipt)
  - b. Certified True Copy (CTC) of PhilGEPS Registration Number or PhilGEPS Certificate
  - c. Certified True Copy (CTC) of Latest Annual Income Tax Return (with corresponding eFPS Filing Reference Number and successful payment page or its equivalent proof of payment, if applicable)
  - d. Notarized Omnibus Sworn Statement
    (For Corporation Attached Corporate Secretary Certificate)
    (For Sole Proprietorship Attached Special Power of Attorney)
- 5. Failure to comply with the stated general conditions constitutes a disqualification.
- 6. The NATIONAL CENTER FOR MENTAL HEALTH reserves the right to reject any or all bids, to waive any defect, and accept such bids advantageous to the government, and that it reserves the right to rescind the contract and debar the dealer from entering in future biddings of the center.

Notes:

- All documents must be **Certified True Copy** (CTC). Bidder's certification is acceptable.
- On documents (licenses, certificates and/or registrations) for renewal, bidders are required to attach Official Receipt (OR) as proof of payment.
- Documentary requirements must be arranged in the above sequence/order & placed in a folder. This form (RFO) must be in a sealed envelope. Both folder (documentary requirements) and envelope (price quotation) should be placed on an envelope of any color with proper label as shown below. Bidder may opt to use their own company letterhead using the format below.
- Bidder's are encourage for a site visit / ocular inspection before submission of quotation.

#### MARKING / LABEL OF PRICE QUOTATION

1. Sealed Price Ouotation Envelope:

Request for Quotation				
Supply, Delivery, Installation and Commissioning of Frameless Tempered Glass Partition with				
Double Swing Door for Office of Strategy Management at Research and Development				
Building CY 2025 (LOT)				
Item/s bid:				
1.				
2.				
Name of Company / Bidder:				

	Tel. no.:
	Fax no.:
_	
ocumentary Requ	irements Folder:
	Request for Quotation
Supply, Delive	ery, Installation and Commissioning of Frameless Tempered Glass
	Double Swing Door for Office of Strategy Management at Research
	and Development Building CY 2025 (LOT)
	Item/s bid:
	1.
	2.
	Name of Company / Bidder:
	Tel. no.:
	Fax no.:

3. Mother Envelope:

2.

**Request for Quotation** 

Supply, Delivery, Installation and Commissioning of Frameless Tempered Glass Partition with Double Swing Door for Office of Strategy Management at Research and Development Building CY 2025

Name of Company / Bidder:

Tel. no.:

Fax no.:

DO NOT OPEN ON OR BEFORE: (indicate closing date PhilGEPS)

After having carefully read and accepted the General Conditions, I/we submit our quotation/s for the item/s below:

#### INSTRUCTION:

- 1. Review each item/specification in the list provided below.
- 2. Check the "YES" box if you comply with the NCMH specification for that item. If you do not comply, check the "NO" box.
- 3. In the "Offer/Remarks" section, input the brand and any other specification of your offered item.
- 4. If the item is not applicable or not available, indicate "N/A" in the "Offer/Remarks" section.

Supply, Delivery, Installation and Commissioning of Frameless Tempered Glass Partition with Double Swing Door for Office of Strategy Management at Research and Development Building CY 2025 (LOT)

TECHNICAL SPECIFICATIONS

YES

NO

REMARKS / OFFER / BRAND

0.2 meter x 2.70 meter Fixed 12mm Thick
Tempered Clear Glass, Complete with Necessary

Accessories as per reference drawing

0.9 meter x 2.10 meter Double Swing 12mm Thick

Tempered Clear Glass Door with Frosted Stickers

Tempered Clear Glass Door with Frosted Stickers

NCMH RFQ – Supply, Delivery, Installation, and Commissioning of Frameless Tempered Glass Partition with Double Swing Door for Office Strategy Management at Research and Development Building CY 2025 (LOT)

Page 3 of 6

as shown in the attached reference drawing with	
High Grade Stainless Steel spring or pivot hinges,	
High grade stainless D Type Pull Handles (Back to	
Back), Complete with Necessary Accessories as pe	
r reference drawing	
0.90 meter x 0.60 meter Fixed 12mm Thick	
Tempered Glass, Complete with Necessary	
Accessories as per reference drawing	
0.9 meter x 2.70 meter Fixed 12mm Thick	
Tempered Glass with Frosted Stickers as shown in	
the attached reference drawing, Complete with	
Necessary Accessories as per reference drawing	
75mm x 2700mm x 12mm thick stiffener tempered	
glass for every jointing of panel	
Complete with all necessary accessories as per	
reference drawing	
Other Accessories and Materials to complete the	
required Length: 4.70 meter x Height: 2.70 meter	
Frameless Glass Partition with Swing Door as per	
reference drawing	
(Please see attached Annex 1 for Terms of	
Reference)	

FINANCIAL OFFER:
Please quote your lowest/best offer for the item/s below. Please do not leave blank item/s, and indicate "N/A" if the item is Not Applicable/Available.

SUMMARY OF APPROVED BUDGET			OFFERED QUOTATION			
Supply, Delivery, Installation and Commissioning of Frameless Tempered Glass Partition with Double Swing Door for Office of Strategy Management at Research and Development Building CY 2025 (LOT)	Qty	Approved Budget for the Contract	Supply, Delivery, Installation and Commissioning of Frameless Tempered Glass Partition with Double Swing Door for Office of Strategy Management at Research and Development Building CY 2025 (LOT)	Qty	Total Offered Quotation	
0.2 meter x 2.70 meter Fixed 12mm Thick Tempered Clear Glass, Complete with Necessary Accessories as per reference drawing	1 set					
0.9 meter x 2.10 meter Double Swing 12mm Thick Tempered Clear Glass Door with Frosted Stickers as shown in the attached reference drawing with High Grade Stainless Steel spring or pivot hinges, High grade stainless D Type Pull Handles (Back to Back), Complete with Necessary Accessories as pe r reference drawing	1 set					
0.90 meter x 0.60 meter Fixed 12mm Thick Tempered Glass, Complete with Necessary Accessories as per reference drawing	5 sets					
0.9 meter x 2.70 meter Fixed 12mm Thick Tempered Glass with Frosted Stickers as shown in the attached reference drawing, Complete with	4 sets					

Necessary Accessories as per reference drawing						
75mm x 2700mm x 12mm thick stiffener tempered glass for every jointing of panel Complete with all necessary accessories as per reference drawing	5 set					
Other Accessories and Materials to complete the required Length: 4.70 meter x Height: 2.70 meter Frameless Glass Partition with Swing Door as per reference drawing	1 lot					
	TOTAL:	ONE HUNDRED THIRTY THOUSAND PESOS ONLY (PHP 130,000.00)		TOTAL:		
					American established and an established and established and an established and an established and establishe	
		Brand and m	odel:			
		Delivery peri	od:	 Max of 15 (	Calendar Days	
		Warranty:	And the second s		onths (supplies)	
					ar (equipment)	
		Price validity	"	Min of 30 Calendar Days		
		Payment tern	ds:		Calendar Days	
		SUBMITTED	AND CONFORMED BY:			
		PRINTE	ED NAME AND SIGNATURE	OF REPRESE	NTATIVE	
		<del></del>	POSITION/DESIGN	NATION	overall to be placed and the second	
			CONTACT NUM	BER/S		

EMAIL ADDRESS



# NATIONAL CENTER FOR MENTAL HEALTH

# OFFICE FOR STRATEGY MANAGEMENT TERMS OF REFERENCE

**PROJECT** 

SUPPLY AND INSTALLATION OF FRAMELESS TEMPERED GLASS PARTITION WITH DOUBLE SWING DOOR FOR OSM (OFFICE FOR STRATEGY MANAGEMENT) AT RESEARCH AND DEVELOPMENT

BUILDING

LOCATION

NCMH Compound, 9 de Pebrero, Mauway, Mandaluyong City

#### PROJECT OVERVIEW:

The project entails the supply and installation of a frameless tempered glass partition with a double swing door to establish a well-defined workspace for the Office for Strategy Management's secretariat. Designed to maximize the use of a large vacant space for clerical work rather than leaving it idle, this initiative promotes the rational use of space. Constructed from 12mm thick tempered glass, the partition ensures durability and safety while delivering a sleek, seamless aesthetic. The double swing door will feature high-quality pivot hinges and a secure locking system, ensuring smooth operation and controlled access. Installation will involve a comprehensive process, including site assessment, precision cutting, fitting, sealing, and final polishing, to guarantee a flawless and sturdy structure. Beyond enhancing workspace functionality, this investment supports a healthier, more productive, and inspiring office environment. Moreover, the adoption of this state-of-the-art partition system reflects the organization's commitment to employee well-being, sustainability, and operational efficiency.

**Project Location** 

: Second Floor of the Research and Development Building

Duration

: 15 Calendar Days

## PROJECT REQUIREMENTS:

- 1. Materials and Specifications:
  - Frameless Tempered Glass Partition
    - Glass Type: Clear tempered glass with a frosted sticker film applied according to the approved plan.
    - Thickness: 12mm (standard for office partitions, adjustable as needed)
    - Edge Fihish: Polished for safety and aesthetics
    - Height: 2.70 meters & Width: 4.70 meters
    - Fixing System: Stainless steel U-channels, patch fittings, and wall brackets

PROCUREMENT SECTION

MAR 1 3 2025

"ived by:

- Silicone Sealing: Clear structural silicone for enhanced stability
- Double Swing Door Assembly
  - Glass Type: Matching 12mm thick tempered glass
  - o Hinges High Grade Stainless Heavy-duty floor spring or pivot hinges
  - o Handles: High-Grade Stainless-Steel D-type pull handles
  - Locking Mechanism: Floor-mounted lock for security


## 2. Installation Requirements:

- Site measurement and verification prior to fabrication.
- Proper alignment and leveling of glass panels.
- High-grade stainless-steel patch fittings and floor pivots.
- Structural silicone to enhance sealing and reinforcement.
- Final cleaning and polishing for a flawless finish.

## Safety and Compliance:

- Use high-quality tempered glass to prevent shattering.
- Ensure compliance with building safety codes and accessibility standards.
- Implement proper handling and installation techniques to prevent damage.

## REFERENCE DRAWING:



## III. ADDITIONAL REQUIREMENTS:

## 1. Maintain a Clean and Organized Worksite

- Keep the worksite free from debris and hazards throughout the installation process.
- Properly dispose of waste materials in accordance with NCMH regulations.
- Ensure all tools and equipment are stored safely when not in use.

# 2. Deliver Work in a Timely and Professional Manner

- Adhere to the agreed-upon project timeline and milestones.
- Communicate any potential delays or issues promptly with the end user.
- Ensure all work is completed with professionalism and attention to detail.

# 3. Adhere to Safety Protocols and Quality Standards

- Follow all industry best practices and safety guidelines.
- Ensure workers are properly trained and equipped with necessary safety gear.
- Conduct regular inspections to maintain high-quality workmanship.

# 4. Ensure Compliance with Legal and Regulatory Requirements

- Obtain all necessary documents and approvals from NCMH Bids and Awards Committee before commencing work.
- Adhere to NCMH regulations for the implementation of the project.
- Maintain accurate records and documentation by the procuring entity.

# 5. Provide a Warranty for Workmanship and Materials

- Guarantee the quality of labor and materials used in the project.
- Address any defects or issues within the warranty period at no additional cost.
- Clearly outline warranty terms, coverage, and duration.

Basis of Payment

All work performed and measured and as provided for in the Term of Reference shall be paid for the Unit Bid of Contract Unit Price which payment shall constitute full compensation including labor, materials, tools and incidentals necessary to complete this item.

	<u>l</u>		/ \
Prepared by:		Approved by:	
ATTY. RICO J. CARAOS, M  Medical Specialist IV, Chief, Office for the S	D, FPPA		S, MD, FPPA, MMHoA
modical openialist 14, Office for the 5	strategy ivianagement	Medica	Center Chief II

