



National Center for Mental Health

SUPPLEMENTAL BID BULLETIN

ADDENDUM NO. 1

PUBLIC BIDDING FOR THE SUPPLY AND DELIVERY OF OTHER SUPPLIES (ELECTRICAL AND WELDING, PLUMBING AND CARPENTRY) CY 2024

This Supplemental Bid Bulletin No. 1 dated December 04, 2023, is issued to clarify, modify or amend items in the Bid Documents. This shall form an integral part of the Bid Documents.

ISSUES	CLARIFICATION
<p>SECTION VII TECHNICAL SPECIFICATIONS</p> <p>LOT 1 – ELECTRICAL SUPPLIES (FEMS-001)</p> <p>ITEM #09 Flexible Hose 1/2, 50 Meters</p> <p>ITEM #10 Flexible Hose 3/4, 50 Meters</p> <p>ITEM #61 Bushing, Electric Fan, Standard</p> <p>ITEM #63 Multicolor Leadwire for Rewind Motor</p> <p>ITEM #64 Telephone Drop Wire</p> <p>ITEM #65 Cat 6 Wire Indoor</p> <p>ITEM #66 Cat 6 Wire Outdoor</p>	<p>SECTION VII TECHNICAL SPECIFICATIONS</p> <p>LOT 1 – ELECTRICAL SUPPLIES (FEMS-001)</p> <p>ITEM #09 <i>PVC</i> Flexible Hose 1/2, 50 Meters</p> <p>ITEM #10 <i>PVC</i> Flexible Hose 3/4, 50 Meters</p> <p>ITEM #61 Standard Bushing, Electric Fan</p> <p>ITEM #63 Multicolor Leadwire for Rewind Motor, #18, 5 Colors</p> <p>ITEM #64 Telephone Drop Wire, 18 / 2c, 305m</p> <p>ITEM #65 Cat 6 Wire Indoor, 24cm x 38cm x 38 cm x 305 cm</p> <p>ITEM #66 Cat 6 Wire Outdoor, 24cm x 38 cm x 38 cm x 305 cm</p>

“There is no Health without Mental Health”

<p>ITEM #70 R-22, 5kg</p> <p>ITEM #71 R-410A, 5kg</p> <p>ITEM #72 R-32, 5kg</p> <p>ITEM #74 Mapp Gas</p>	<p>ITEM #70 R-22, 5kg <i>Stick with NCMH Specification = 5kg per unit</i></p> <p>ITEM #71 R-410A, 5kg <i>Stick with NCMH Specification = 5kg per unit</i></p> <p>ITEM #72 R-32, 5kg <i>Stick with NCMH Specification = 5kg per unit</i></p> <p>ITEM #74 Mapp Gas, 14.1 oz / 400 g</p>
<p>LOT 2 – PLUMBING SUPPLIES (FEMS-002)</p> <p>ITEM #75 PVC Pipe, 2"</p> <p>ITEM #76 PVC Elbow, 2"</p> <p>ITEM #77 PVC Tee, 2"</p> <p>ITEM #78 PVC 1/8" Bent, 2"</p> <p>ITEM #79 PVC Clean-out, 2"</p> <p>ITEM #80 PVC P-Trap, 2"</p> <p>ITEM #82 PVC Pipe, 3"</p>	<p>LOT 2 – PLUMBING SUPPLIES (FEMS-002)</p> <p>ITEM #75 PVC Pipe, 2", S1000, orange, heavy duty</p> <p>ITEM #76 PVC Elbow, 2", S1000, orange, heavy duty</p> <p>ITEM #77 PVC Tee, 2", S1000, orange, heavy duty</p> <p>ITEM #78 PVC 1/8" Bent, 2", S1000, orange, heavy duty</p> <p>ITEM #79 PVC Clean-out, 2", S1000, orange, heavy duty</p> <p>ITEM #80 PVC P-Trap, 2", S1000, orange, heavy duty</p> <p>ITEM #82 PVC Pipe, 3", S1000, orange, heavy duty</p>

ITEM #83
PVC Elbow, 3"

ITEM #84
PVC Tee, 3"

ITEM #85
PVC 1/8" Bent, 3"

ITEM #86
PVC Clean-out, 3"

ITEM #87
PVC P-Trap, 3"

ITEM #88
PVC Pipe, 4"

ITEM #89
PVC Elbow, 4"

ITEM #90
PVC Tee, 4"

ITEM #91
PVC 1/8" Bent, 4"

ITEM #92
PVC Clean-out, 4"

ITEM #102
PPR Pipe, 1/2"

ITEM #103
PPR Elbow, 1/2"

ITEM #83
PVC Elbow, 3", **S1000, orange, heavy duty**

ITEM #84
PVC Tee, 3", **S1000, orange, heavy duty**

ITEM #85
PVC 1/8" Bent, 3", **S1000, orange, heavy duty**

ITEM #86
PVC Clean-out, 3", **S1000, orange, heavy duty**

ITEM #87
PVC P-Trap, 3", **S1000, orange, heavy duty**

ITEM #88
PVC Pipe, 4", **S1000, orange, heavy duty**

ITEM #89
PVC Elbow, 4", **S1000, orange, heavy duty**

ITEM #90
PVC Tee, 4", **S1000, orange, heavy duty**

ITEM #91
PVC 1/8" Bent, 4", **S1000, orange, heavy duty**

ITEM #92
PVC Clean-out, 4", **S1000, orange, heavy duty**

ITEM #102
PPR Pipe, 1/2", **hot and cold pipes, PN 20**

ITEM #103
PPR Elbow, 1/2", **90 degrees**

<p>ITEM #110 PPR Pipe, 3/4"</p> <p>ITEM #111 PPR Elbow, 3/4"</p> <p>ITEM #118 P.E Coupling connector, #2</p> <p>ITEM #121 PPR Pipe, 1"</p> <p>ITEM #126 PPR Elbow, 1"</p> <p>ITEM #127 Tox with screw</p> <p>ITEM #128 Plain Faucet, (Heavy Duty)</p> <p>ITEM #129 Goose Neck Faucet, (Heavy Duty)</p> <p>ITEM #130 Faucet, 1/2" x 2" (wall type)</p> <p>ITEM #131 Lavatory P-trap (Tubular), 1-1/4"</p> <p>ITEM #132 Angle Valve</p> <p>ITEM #133 Flexible hose, 1/2" x 1/2"</p>	<p>ITEM #110 PPR Pipe, 3/4", <i>hot and cold pipes, PN 20</i></p> <p>ITEM #111 PPR Elbow, 3/4", <i>90 degrees</i></p> <p>ITEM #118 P.E Coupling connector, #2 <i>Stick to NCMH Specification</i></p> <p>ITEM #121 PPR Pipe, 1", <i>hot and cold pipes, PN 20</i></p> <p>ITEM #126 PPR Elbow, 1", <i>90 degrees</i></p> <p>ITEM #127 Tox with screw, #6</p> <p>ITEM #128 Plain Faucet, (Heavy Duty), <i>Brass</i></p> <p>ITEM #129 Goose Neck Faucet, (Heavy Duty), <i>stainless</i></p> <p>ITEM #130 Faucet, 1/2" x 2" (wall type), <i>stainless</i></p> <p>ITEM #131 Lavatory P-trap (Tubular), 1-1/4", <i>stainless</i></p> <p>ITEM #132 Angle Valve, 1/2" x 1/2", <i>single way</i></p> <p>ITEM #133 Flexible hose, 1/2" x 1/2", <i>stainless, 16 inches</i></p>
---	---

ITEM #137
PPR Pipe, #2

ITEM #138
PPR Elbow, #2

ITEM #140
PPR Elbow, #3

ITEM #141
PPR Tee, #3

ITEM #142
PPR Clean out, #3

ITEM #143
PVC Bent 1/8 Bent 3

ITEM #144
Telephone Shower, Heavy Duty

ITEM #145
Angle Valve, Three Way

ITEM #148
Tile Adhesive

LOT 3 – CARPENTRY SUPPLIES (FEMS-003)

ITEM #158
Plywood (Marine), 3/4" x 4' x 8'

ITEM #137
PPR Pipe, #2, *hot and cold pipes, PN 20*

ITEM #138
PPR Elbow, #2, *90 degrees, 2"*

ITEM #140
PPR Elbow, #3
Stick with NCMH Specification = PPR

ITEM #141
PPR Tee, #3
Stick with NCMH Specification = PPR

ITEM #142
PPR
PVC Clean out, #3, S1000, orange, heavy duty

ITEM #143
PVC Bent 1/8 Bent 3, *S1000, orange, heavy duty*

ITEM #144
Telephone Shower, Heavy Duty, *stainless, with hose*

ITEM #145
Angle Valve, Three Way, *stainless, 1/2 x 1/2*

ITEM #148
Tile Adhesive, *Heavy Duty*

LOT 3 – CARPENTRY SUPPLIES (FEMS-003)

ITEM #158
Plywood (Marine), 3/4" x 4' x 8', *local*

ITEM #159

Plywood (Marine), 1/2" x 4' x 8'

ITEM #160

Plywood (Marine), 1/4" x 4' x 8'

ITEM #167

Quick Dry Enamel, high-performance decorative and protective alkyd-based enamel, superior for exterior and interior wood and metal surfaces, 4 Liter

ITEM #202

Roller Brush, #7, Foam

ITEM #203

Roller Brush, #9, Foam

ITEM #207

Baby Roller Cotton

ITEM #208

Baby Roller Foam

ITEM #223

Acrylic Glass, 6mm Thk.

ITEM #225

Plain sheet, ga. 24

ITEM #226

Door Knob, (Heavy Duty)

ITEM #159

Plywood (Marine), 1/2" x 4' x 8', **local**

ITEM #160

Plywood (Marine), 1/4" x 4' x 8', **local**

ITEM #167

Quick Dry Enamel, high-performance decorative and protective alkyd-based enamel, superior for exterior and interior wood and metal surfaces, 4 Liter, **white**

ITEM #202

Roller Brush, #7, Foam, **with handle**

ITEM #203

Roller Brush, #9, Foam, **with handle**

ITEM #207

Baby Roller Cotton, **with handle**

ITEM #208

Baby Roller Foam, **with handle**

ITEM #223

Acrylic Glass, 6mm Thk., **4' x 8'**

ITEM #225

Plain sheet, ga. 24, **4 x 8**

ITEM #226

Door Knob, (Heavy Duty)
Stick to NCMH Specification

<p>ITEM #250 Metal Furring</p> <p>ITEM #252 Mason Drill bit, assorted (6mm, 5mm, 4mm)</p> <p><i>**What is amount breakdown for each size?</i></p>	<p>ITEM #250 Metal Furring, 2", standard length</p> <p>ITEM #252 Mason Drill bit, assorted (6mm, 5mm, 4mm)</p> <p><i>The amount is totalled as a whole, breakdown of each size should be near equal.</i></p>
<p>SECTION III BID DATA SHEET</p> <p>ITB CLAUSE 21.2</p> <p>Additional contract documents relevant to the Project that is required by the Procuring Entity:</p> <p>(4) Certificate of Performance [For current supplier, it shall be issued by the Head of the Procuring Entity for the current year. For non-current supplier, certificate issued from other hospitals or agencies are acceptable (at least SATISFACTORY RATING)]</p> <p><i>**As a non-current supplier, will you accept a Certificate of Performance from private institutions/companies?</i></p>	<p>SECTION III BID DATA SHEET</p> <p>ITB CLAUSE 21.2</p> <p>Additional contract documents relevant to the Project that is required by the Procuring Entity:</p> <p>(4) Certificate of Performance [For current supplier, it shall be issued by the Head of the Procuring Entity for the current year. For non-current supplier, certificate issued from other hospitals or agencies are acceptable (at least SATISFACTORY RATING)]</p> <p>- YES.</p>
<p>SECTION VII TECHNICAL SPECIFICATIONS</p> <p><i>** With regards to the preparation of the envelopes for the technical documents, we would like to inquire how the compliance of the Section VII Technical Specifications will be placed into separate envelope as instructed during the pre-bid conference. In such case that we would participate in all three (3) lots, should we put 3 sets with all lots in Section VII marked complied in separate envelopes or do we comply only a specific lot and leave the other lots blank for each Section VII in separate envelopes.</i></p>	<p>SECTION VII TECHNICAL SPECIFICATIONS</p> <p>Comply only a specific lot, and write "N/A" on the other lot for each Section VII in separate envelopes.</p>

CHECKLIST FOR BIDDERS

B. TECHNICAL DOCUMENTS

(6) Statement of the Bidder’s **SINGLE LARGEST COMPLETED CONTRACT (SLCC)* similar** to the contract to be bid, in accordance with ITB Clause 5.4 and using the form prescribed in Annex: Bidding Forms.

NOTE: Similar project refers to “ELECTRICAL AND WELDING, PLUMBING AND CARPENTRY SUPPLIES” costing at least twenty-five percent (25%) of the ABC.

***As attachment for the Single Largest Completed Contract (SLCC), if our SLCC is from a private institution / company, will a Purchase Order issued by the private institution / company suffice?*

***What other documents should be attached if the SLCC is from a private company/institution? Purchase Order, Sales Invoice, Collection Receipt, Others?*

CHECKLIST FOR BIDDERS

B. TECHNICAL DOCUMENTS

(6) Statement of the Bidder’s **SINGLE LARGEST COMPLETED CONTRACT (SLCC)* similar** to the contract to be bid, in accordance with ITB Clause 5.4 and using the form prescribed in Annex: Bidding Forms.

NOTE: Similar project refers to “ELECTRICAL AND WELDING, PLUMBING AND CARPENTRY SUPPLIES” costing at least twenty-five percent (25%) of the ABC.

- **STATEMENT ONLY**

DELIVERY TERMS:


From seven (7) calendar days adjusted to fifteen (15) calendar days upon received of NTD.

Other Matters:

- A. *Eligibility requirements and technical proposal should be in one folder and financial proposal in a separate folder, with shoelace on top or ring bound instead of a fastener, table of contents, and index tabs in words, not numbers.*
- B. *Folder of Eligibility requirements and technical proposal should be placed in one envelope. And the folder of the Financial proposal should be in another envelope. Both envelopes shall then be placed in one mother envelope marked as “**Original Bid**”*
- C. Documents should be arranged chronologically according to the checklist issued.
- D. Color code for folders and envelope:
RED – Public Bidding for the Supply and Delivery of Other Supplies (Electrical and Welding, Plumbing and Carpentry) CY 2024.
- E. All other provisions on the bidding documents which are not affected shall remain in effect.

- F. The deadline for **Submission and Opening of Bids** is scheduled on **December 11, 2023 (Monday), 9:00 AM**, at the **Pag-Asa Hall**, National Center for Mental Health Compound, Mandaluyong City.
- G. Any bid submitted after the deadline for submission shall be declared **“LATE”** and shall NOT be accepted.
- H. The BAC shall open the bids immediately after the deadline for submission and receipt of bids.

For the information and guidance of all concerned.

 **ALDEN C. CUYOS, MD, FPPA, IFAPA, MMHoA**
Chairperson, BAC for Goods